



LibLime Koha 4.2 Release Notes

Administration	5
New Granular Permissions.....	5
Add XSLT Support for Staff Search Results and Record Details.....	6
Store Stylesheets on Remote Servers	6
Reports	7
Multiple Selections in Report Wizards	7
Bugfix to Allow User Specified Limit in SQL	8
Back Button in Report Creation	8
Use Slave Database for Reports	9
Patrons and Holds	9
Preventing On-Shelf Holds in the Library	9
Automated Patron Import Script	10
Patron Batch Edit and Batch Delete	12
Patron Improved Searching.....	14
Lost Card Tracking.....	16
Override Max Fines.....	16

Track Borrower Changes	17
Borrower History Retention	17
Limit On-Shelf Holds.....	18
Maximum Fines, Maximum Holds, and Editing of Circulation Rules	18
Predefined Borrower Notes	20
Expired/Cancelled Holds Report and Setting Expiration Dates.....	21
Display of Hold Expiration Date.....	23
Allow Multiple Holds on Items for One Title.....	24
Suspend and Reactivate Holds	25
Hold Display Status.....	25
Place Hold Option on Checkout Tab.....	27
Hold Policies by Patron Category	28
Fees for Holds	29
Turn Off Various Hold Trigger Buttons if Desired.....	29
Block OPAC Renewals for Excessive Fines.....	30
Copy Patron Record	31
Display Patron Middle Initial	32
Prompt to Save Patron Edits.....	33
Lost, Claims Returned Displays on Patron Record.....	33
Fines	34
Partial Fine Payment	34
Billing Notice and Debt Collection.....	35
Calculate Fines on Claims Returned Items	36
Pre-Defined Fee Types.....	37
List Fines by Type on Checkout Tab	39

Block Payment of Outstanding Fines.....	39
Circulation.....	40
Course Reserves	40
Block Checkout of Items on Hold.....	47
Backdate Due Dates	48
Change Checkin Date.....	48
Print Option for Hold and Overdue Notices.....	49
Item Type Trigger for Hold Notices	50
Renewal Source.....	50
Fast Adds at Circulation.....	51
Check In Damaged.....	52
Clear Borrower Record After Checkout.....	53
Turn Off Returns Column in Patron Record Display.....	54
Cataloging.....	55
Resolving Holds When Deleting a Bibliographic Record or Item.....	55
Batch Item Edit.....	55
Other Item Statuses	56
Adding Additional Items Copies Item Data.....	58
In Processing/Shelving Cart	58
Ability to Edit Permanent Shelving Location for In Processing/Shelving Cart Feature.....	60
Save Import Profiles.....	60
ISBN-13 Indexing	63
OPAC.....	63
Remote stylesheets with apache for multi-URL OPAC setups.....	63
Bestseller's Club and Email Notifications	63

OPAC Inactivity Timeout	66
Clear Reading History	67
OPAC “Did You Mean” Feature.....	67
Site-Controlled Counts for Did You Mean	67
Turn Off My Messaging Tab in OPAC.....	68
OPAC and Staff Advanced Search Changes.....	68
Curriculum Indexing and Search.....	68
OPAC Description for Authorized Values.....	69
Turn Off Item Type/Collection Code Search Section in Advanced Search.....	69
Sorting of Item Holdings in Staff and OPAC	69
Rename OPAC Cart Feature as Desired	70
Set Off Shelving Location in OPAC display	70
Turn Off Place Holds Link at Top of OPAC Results List	71
Allow OPAC and Staff to Use Different Settings for Advanced Search	71
Display 866 Summary Holdings Note in OPAC Main Detail Section	71
Control Display of ISBD Tab in OPAC.....	72
Search by Shelving Location.....	72
Flag for SSL Enabled to fix 3rd Party Enhanced Content in OPAC.....	73
Turn off Fines Display in OPAC Account	73
Serials.....	73
Item Defaults Stored in Subscription Record.....	73
Web-Based Self-Check System	74
Automated Staff Login.....	74
Bug Fixes	75

Release Notes

Administration

New Granular Permissions

LibLime has added new granular permissions for staff access. Set these through patron record display, More, Set Permissions. The syspref GranularPermissions must be turned on for the detailed permissions to take effect. As with other permissions, an account with superlibrarian privileges has all rights and does not need individual permission settings.

Circulate books

- (bookdrop) User can activate bookdrop mode in checkin
- (change_circ_date_and_time) User can change circulation checkin date
- (change_due_date) User can specify a due date other than in the circulation rules
- (change_lost_status) User can set the item lost status
- (circulate_remaining_permissions) Remaining circulation permissions
- (exempt_fines) User can activate exempt fines in checkin
- (fast_add) User can use fast add functionality in checkout
- (override_checkout_max) User can override the checkout maximum (NOTE: user needs to click the override message before entering the barcode or trying to check out material.)
- (override_max_fines) User can override block for patron over max fine limit (NOTE: user needs to click the override message before entering the barcode or trying to check out material.)
- (override_non_circ) User can override the not for loan check
- (override_renewals) Override blocked renewals (NOTE: The override is only activated if the barcode is entered via the Circulation checkout box, not via the patron display's checkout history. There it produces a "renewal failed" message.)
- (renew_expired) User can renew an expired borrower in checkout
- (view_borrower_name_in_checkin) User can see the borrower name in checkin
- (view_checkout) view items checked out to a borrower in checkout tab

Add or modify borrowers

- (add_borrowers) User can add a borrower record
- (delete_borrowers) User can delete borrower record
- (edit_borrower_circnote) User can edit the contents of the borrower circulation note
- (edit_borrower_opacnote) User can edit the contents of the borrower opac note
- (edit_borrowers) User can edit borrower record
- (view_borrowers) Access to borrower screens if no other permissions set

Reserve Books For Patrons

- (add_holds) User can create hold requests

- (delete_holds) User can delete hold requests from circulation
- (delete_waiting_holds) User can delete holds that are waiting for pickup
- (edit_holds) User can edit hold requests (including suspend holds)
- (reorder_holds) User can reorder hold requests (requires edit_holds to be set)
- (view_holds) User can view holds (Added because this ability would otherwise be removed if user had no edit/delete permissions)

Edit Catalogue (Modify bibliographic/holdings data)

- (add_bibliographic) Create a bibliographic record
- (add_items) Create or copy a new item
- (delete_items) Delete an item
- (edit_bibliographic) Edit a bibliographic record
- (edit_items) Edit an item record
- (delete_bibliographic) Delete a bibliographic record
- (view) User may view bibliographic title and item info if other permissions are not set

Update borrower charges

- (accept_payment) User can accept payment (including manual credit) from borrower
- (add_charges) Add a charge to a patron record
- (edit_charges) User can change a fee record (controls the Reverse payment function)
- (writeoff_charges) User can write off a charge
- (view_charges) User can view a borrower's fines and charges

Tools

- (batch_edit_items) Governs access to to batch item edit function.

Add XSLT Support for Staff Search Results and Record Details

This version incorporates XSLT display support for staff results and title detail screen, including the 245 subfields h, b, n, and p. The existing system preferences XSLTResultsDisplay and XSLTDetailsDisplay now turn on XSLT support for the staff interface. The new system preferences OPACXSLTResultsDisplay and OPACXSLTDetailsDisplay control support for the OPAC.

Another new system preference (DisplayStafficonsXSLT) turns on or off the display of the format and material type icons in staff mode; this is similar to the earlier DisplayOPACiconsXSLT syspref which controls that in the OPAC.

Store Stylesheets on Remote Servers

Koha has had the ability to use an auxiliary stylesheet to override default settings for colors, fonts, etc. This is specified in the misleadingly-named syspref opaccolorstylesheet. However, until now this secondary stylesheet has had to be stored on the same server, which limits librarian access for changes. This feature allows sites to enter a full URL in this syspref for a stylesheet stored on another server.



Reports

Multiple Selections in Report Wizards

Under Reports, in either Guided Reports or the various Statistics reports, this feature allows staff users to make multiple search selections for fields such as item type, patron category, etc. The selection will appear in a list and you can then make another selection for the same criterion. If you add one by mistake, there is a Remove link. For Guided Reports, proceed through the various selection steps (Build New, Type of Report, etc.) until you get to a screen where you can choose limiting criteria from a pulldown.

Guided report step 4:

Step 4 of 6: Select Limiting Criteria

<input checked="" type="checkbox"/> Item-level Item Type	<div style="border: 1px solid #ccc; padding: 2px;"><div style="background-color: #f0f0f0; padding: 2px;">Select a Item-level Item Type ▾</div><div style="padding: 2px;">JBK remove</div><div style="padding: 2px;">JPB remove</div><div style="padding: 2px;">JHB remove</div></div>
<input checked="" type="checkbox"/> Type of Event	<div style="border: 1px solid #ccc; padding: 2px;"><div style="background-color: #f0f0f0; padding: 2px;">Select a Type of Event ▾</div><div style="padding: 2px;">issue remove</div><div style="padding: 2px;">renew remove</div></div>
<input type="checkbox"/> Patron Category	<div style="border: 1px solid #ccc; padding: 2px;"><div style="background-color: #f0f0f0; padding: 2px;">Select a Patron Category ▾</div></div>
<input type="checkbox"/> Branch Code	<div style="border: 1px solid #ccc; padding: 2px;"><div style="background-color: #f0f0f0; padding: 2px;">Select a Branch Code ▾</div></div>
<input type="checkbox"/> Publication Date	<div style="border: 1px solid #ccc; padding: 2px;"><input type="text"/> </div>
<input type="checkbox"/> Accession Date	<div style="border: 1px solid #ccc; padding: 2px;"><input type="text"/> </div>

Statistics report:

Patrons statistics

Title	Row	Column	Filter
Patron category	<input type="radio"/>	<input type="radio"/>	Select a Category <input type="text"/> Courtesy remove Library Staff remove
Patron status			<input type="text"/>
Patron activity	<input type="text"/>	years of activity	<input type="text"/>
Zip Code	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
	<input type="text"/>	digits	
Library	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
Date of Birth			From <input type="text"/> To <input type="text"/>
Sex	<input type="radio"/>	<input type="radio"/>	<input type="text"/>

Output

To screen into the browser:

To a file: Named: Into an application: ;

Bugfix to Allow User Specified Limit in

Koha had a hard-coded limit of 10,000 lines maximum for report downloads. This bugfix allows users to specify their own (higher) limits if desired, by adding a LIMIT NNNN to the saved SQL statement (where NNNN is the number of lines).

Back Button in Report Creation

LibLime added a Back button to use during the Guided Reports steps to move back to earlier selection screens. (NOTE: at present it is not possible to preserve database field selections (title, surname, etc.) made on the "Information to Display" screen.



Use Slave Database for Reports

The system can be configured to run Koha reports against a backup database rather than the primary database. This is useful for sites which routinely need to run large reports; such reports can slow performance on the primary system and affect daily operations such as circulation. LibLime must configure and enable this option; open a support center ticket if you are interested.

Patrons and Holds

Preventing On-Shelf Holds in the Library

The AllowOnShelfHoldsInLibrary preference determines whether patrons can place holds while they are physically in the library, as determined by their source IP. This preference will only be meaningful if AllowOnShelfHolds is on. AllowOnShelfHoldsInLibrary and Library IP addresses for each library must be set in Administration > Libraries and Groups.

Libraries

Name	Code	Address	Properties	IP	Allow On Shelf Holds in Library		
Anytown Public Library	MAIN	1 Side Street 12345 Anytown, TX		74.93.217.* 71.180.106.186 *.*.*	<input type="checkbox"/>	Edit	Delete
Anytown Suburb Branch Library	BRANCH1			192.168.1.* 432.345.432.45	<input type="checkbox"/>	Edit	Delete
Anytown Township Public Library	BRANCH2			162.39.22.* 192.168.1.456	<input type="checkbox"/>	Edit	Delete

System Preferences

- [System Preferences](#)

Basic parameters

- [Libraries and groups](#)
- [Funds and budgets](#)
- [Currencies and exchange rates](#)
- [Item types](#)

Patrons and circulation

- [Patron types and categories](#)
- [Cities and towns](#)
- [Road types](#)
- [Patron attribute types](#)
- [Circulation and fines rules](#)
- [Library transfer limits](#)
- [Item circulation alerts](#)
- [Other item status](#)

Catalog

- [Authorized values](#)
- [MARC Bibliographic framework](#)
- [Koha to MARC mapping](#)
- [MARC Bibliographic framework test](#)
- [Authority types](#)
- [Classification sources](#)
- [Record matching rules](#)

Additional parameters

- [Z39.50 Client Targets](#)

Modify library

Library code	MAIN
Name	<input type="text" value="Anytown Public Library"/>
Address Line 1	<input type="text" value="1 Side Street"/>
Address Line 2	<input type="text"/>
Address Line 3	<input type="text"/>
Zip/Postal Code	<input type="text" value="12345"/>
City	<input type="text" value="Anytown, TX"/>
Country	<input type="text"/>
Phone	<input type="text"/>
Fax	<input type="text"/>
Email	<input type="text"/>
URL	<input type="text"/>
IP	<input type="text" value="74.93.217.*"/> Can be entered as a single IP, or a subnet such as 192.168.1.*
Notes	<input type="text"/>

[Cancel](#)

When a patron is identified as being in the library (by their source IP address) and tries to place a hold on an item that is on the shelf in that library, the following message appears in the OPAC:

Sorry, you cannot place holds on available items while inside the library.

Automated Patron Import Script

This feature allows for a patron record dump to be exported from another system (HR, school registrar, etc.) on a regular basis and placed on the Koha server. A new script in kohaclone/misc named import_borrowers-cli.pl can run as a regular cron job to load that patron record file; it can also use a file that sets some default entries such as circ notes or patron category. Entries in the default file will override entries in the patron .csv file. The patron record dump must be formatted in the normal Koha patron .csv style, with dates formatted as YYYY-MM-DD:

borrowernumber, cardnumber, surname, firstname, title, othernames, initials, streetnumber, streettype, address, address2, city, zipcode, country, email, phone, mobile, fax, emailpro, phonepro, B_streetnumber, B_streettype, B_address, B_address2, B_city, B_zipcode, B_country, B_email, B_phone, dateofbirth, branchcode, categorycode, dateenrolled, dateexpiry, gonenoaddress, lost, debarred, contactname, contactfirstname, contacttitle, guarantorid, borrowernotes, relationship, ethnicity, ethnoses, sex, password, flags, userid, opacnote, contactnote, sort1, sort2, altcontactfirstname, altcontactsurname, altcontactaddress1, altcontactaddress2, altcontactaddress3, altcontactzipcode, altcontactcountry, altcontactphone, smsalertnumber

```
,22300009456,EBEDIR,CAHRINTISA,,,A,,,9 Second Street,, "ANYTOWN, TX",12345,,,,,,,,,,,,,1987-03-20,BRANCH1,STUDENT,1999-01-23,2010-10-15,,0,,,,,,,,,F,12345,,12300009456,,,,,,,,,,,,,
```

```
,22300019456,EBBEN,AARWA,,,B,,,19 Second Street,, "ANYTOWN, TX",12345,,,,,,,,,,,,,1990-05-07,BRANCH1,TEACHER,1998-08-24,2011-03-20,,0,,,,,,,,,F,12345,,12300019456,,,,,,,,,,,,,
```

The defaults file is formatted as variable/value pairs, one per line, separated by an '=' sign. For example:

```
zipcode=97211
dateexpiry=2010-12-31
```

The import_borrowers-cli.pl script usage is:

```
import_borrowers-cli.pl [options]
```

Options:

```
--infile=<filename>      : read data from filename instead of stdin
--defaultsfile=<filename> : read defaults from filename
--matchpoint=<string>    : match for collisions on this field
--overwrite              : overwrite collisions with new values
--verbose                : be noisier
--help                   : show this message
```

A sample manual script run would look like:

```
perl import_borrowers-cli.pl --infile=newpatrons.csv --defaultsfile=patrons-
defaults.csv --matchpoint=cardnumber --overwrite -verbose
```

This would tell the system to load the file newpatrons.csv, matching on cardnumber, overwriting any existing patron records, and applying any default values in the file patrons-default.csv.

Sample output from the script run might look like:

Successful imports: 0

Record overwrites: 2

Not overwritten: 0

Bogus entries: 0

Patron Batch Edit and Batch Delete

LibLime developed a feature for patron batch editing and deleting. Under patron search results, you can check entries to be added to the Borrower Cart and then click the Add Selected Borrowers to Cart button.

[Borrower Cart 2](#)
+ New ▾

Browse by last name: [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)

Results 1 to 25 of 249 found for 'i'

Add Selected Borrowers To Cart

	<input type="checkbox"/>	Card	Name	Cat	Library	Expires on	OD/Issues	Fines	Circ note		
12312459456	<input checked="" type="checkbox"/>	12312459456	IAER, KEYNAR 12459 MAIN ST ANYTOWN, TX 12345	Resident (A)		06/22/2009	0/0	10.00		Add to Cart	Edit
12332862456	<input type="checkbox"/>	12332862456	IAHER, KEYNAR 32862 MAIN ST ANYTOWN, TX 12345	Resident (A)		11/07/2011	0/0	0.00		Add to Cart	Edit
12312285456	<input checked="" type="checkbox"/>	12312285456	IALMISI, AMASDA 12285 MAIN ST ANYTOWN, TX 12345	Resident (A)		10/13/2010	0/0	0.20		Add to Cart	Edit

Clicking on the Borrower Cart link opens the cart:

[Borrower Cart 2](#) ←

+ New ▾

Borrower Cart

- [Empty Borrower Cart](#)

[Select All](#) [Clear All](#) | Selected items : [Remove](#)

	Card	Name	Cat	Library	Expires on	Circ note
<input type="checkbox"/>	12312459456	IAER, KEYNAR 12459 MAIN ST ANYTOWN, TX 12345	(A)		2009-06-22	
<input type="checkbox"/>	12312285456	IALMISI, AMASDA 12285 MAIN ST ANYTOWN, TX 12345	(A)		2010-10-13	

Batch Edit Borrowers

Batch Delete Borrowers

If the Batch Edit button is clicked, after an “are you sure” prompt a screen opens with edit fields:

Batch Edit Patrons

Main address

Street number:

Address:

Address 2:

City, State:

Zipcode:

Contact

Phone (home):

Phone (work):

Phone (cell):

Email (home):

Email (work):

Fax:


Alternate address

When the screen is saved, the patrons are edited and the staff user is given the option of emptying the basket:

Batch Edit Patrons

Successfully Updated IAER, KEYNAR (12312459456)

Successfully Updated IALMISI, AMASDA (12312285456)



The process for batch delete is similar; click on the Batch Delete button in the basket. Note that the system will not remove a patron with checkouts. It will remove patrons with holds (and will delete the hold). A new syspref, BatchMemberDeleteFineThreshold, controls deletion of patrons with fines. Set this to a dollar amount; batch delete will remove patrons with fines under that amount but blocks removal of patrons with fines at or over that amount.

After use, a popup appears asking if cart contents should be deleted. With the syspref set to 4.99, two of the deletions in this example are blocked but another with a lower fine amount (\$0.20 -- IALMISI, AMASDA) is allowed:


Batch Edit Patrons

Delete Failed: Borrower currently has item issued to his or her account. Borrower currently has fines due on his or her account. BAAH, DASIOL (12331845456)

Delete Failed: Borrower currently has fines due on his or her account. IAER, KEYNAR (12312459456)

Successfully Deleted IAHER, KEYNAR (12332862456)

Successfully Deleted IALMISI, AMASDA (12312285456)



Patron Improved Searching

LibLime has added email, phone number, and borrower number to the standard search, and also created an optional SQL patron search to identify patrons meeting specific criteria. There are pulldown options to select searching on email, phone number, or borrower number. Syntax for standard search is unchanged. For email or phone number, use an asterisk (e.g., *555-1212 or

*.comcast.net). Note that searching (212) 555-1212 and 212 555 1212 are not equivalent -- you have to search phone numbers as originally created, or truncate to just a part (like *1212*).

Enter patron card number or partial name: search fields: E-Mail order by: Surname

[Search Patrons](#) [Check Out](#) [Search the Catalog](#)

[Home](#) > Patrons Enter first and/or last name or card number for standard search. For email or phone, you may enter partial text with a * for truncation (e.g., myemail* or *111-2222).

Standard
E-Mail
Borrower Number
Phone Number

The display of the SQL search option is controlled by a syspref, ShowPatronSearchBySQL. The first part of the SQL statement (select * from borrowers etc.) is hardcoded and cannot be removed. To do a SQL search, continue the statement using the same syntax as in a report (e.g., where surname = 'Smith'). The feature will strip out any SQL statement after a semicolon, to guard against additional database manipulation.

Enter patron card number or partial name: search fields: Standard order by: Surname

[Search Patrons](#) [Check Out](#) [Search the Catalog](#)

[Home](#) > Patrons Enter first and/or last name or card number for standard search. For email or phone, you may enter partial text with a * for truncation (e.g., myemail* or *111-2222).

[Borrower Cart](#)
New

Browse by last name: [A](#)[B](#)[C](#)[D](#)[E](#)[F](#)[G](#)[H](#)[I](#)[J](#)[K](#)[L](#)[M](#)[N](#)[O](#)[P](#)[Q](#)[R](#)[S](#)[T](#)[U](#)[V](#)[W](#)[X](#)[Y](#)[Z](#)

Search borrowers by SQL

SELECT * FROM borrowers LEFT JOIN categories ON borrowers.categorycode = categories.categorycode WHERE borrowers.categorycode = 'C'

[Borrower Cart](#)
New

Browse by last name: [A](#)[B](#)[C](#)[D](#)[E](#)[F](#)[G](#)[H](#)[I](#)[J](#)[K](#)[L](#)[M](#)[N](#)[O](#)[P](#)[Q](#)[R](#)[S](#)[T](#)[U](#)[V](#)[W](#)[X](#)[Y](#)[Z](#)

Results 1 to 13 of 13 found for 'SELECT * FROM borrowers LEFT JOIN categories ON borrowers.categorycode = categories.categorycode WHERE borrowers.categorycode = 'C''

	<input type="checkbox"/>	Card	Name	Cat	Library	Expires on	OD/Issues	Fines	Circ note		
12307384456	<input type="checkbox"/>	12307384456	DUNLANKI, GAIL 7384 MAIN ST ANYTOWN, TX 12345	Courtesy (A)		05/09/2029	0/0	0.00		Add to Cart	Edit
12308378456	<input type="checkbox"/>	12308378456	FINCHAR, NTASLOU 8378 MAIN ST ANYTOWN, TX 12345	Courtesy (A)		10/12/2024	2/2	10.00		Add to Cart	Edit
12312382456	<input type="checkbox"/>	12312382456	IROSN, PAT 12382 MAIN ST ANYTOWN, TX 12345	Courtesy (A)		12/13/2027	12/12	60.00		Add to Cart	Edit
			KERMEAIS, NHAPES								

Lost Card Tracking

This feature allows staff to track multiple card numbers for a patron. When a staff person edits a patron record, changes the card number, and saves the change, the old card number will appear in the Previous Cardnumbers box on the display screen along with the date. Old card numbers are still searchable. If an old card number is scanned for checkout, a warning about using a lost card appears in red on the checkout screen. If a card is found, it may be returned to active use in the patron record by clicking the Restore button in the Previous Cardnumbers section.

CHAENY AA (LOSTTEST)

7453 MAIN ST
ANYTOWN, TX 12345

Middle Initial(s):

Date of birth: 11/01/1963

Sex: M

[Edit](#)

Additional attributes and identifiers

Type	Value
StIntls (Staff Initials)	3/23/07 DW, 06/20/07 DI,8/22/08AP

[Edit](#)

Library use

Card number: LOSTTEST

Borrowernumber: 7453

Category: Resident (R)

Registration date: 12/31/2003

Expiration date: 10/25/2011

Library: Anytown Public Library

OPAC login: 12307453456

OPAC password: *****

[Edit](#)

Previous Cardnumbers

12307453456 : 03/3/2010 ▾	Restore
---------------------------	---------

Override Max Fines

This LibLime feature allows selective overrides of checkouts for patrons who are blocked because of amount owed. Use the new system preference AllowOverrideLogin to determine if staff can override a checkout that would be otherwise blocked because of amount owed (defined in the syspref noissuescharge). If on, and the staff person has the granular permission override_max_fines, an Override button will appear on the checkout tab next to the line about how much is owed in fines. If on, and the staff person does not have that granular permission, an Override Login button will appear on the top menu bar of the patron Checkout tab. A supervisor can use that to enter a login which will make the fine override button appear for that checkout only. Staff can then click the fine override button to proceed with the checkout.

Checking out to DASIOL BAAH (12331845456)

Cannot Check Out!

- > **Overdues:** Patron has **ITEMS OVERDUE**. See highlighted items [below](#)
- > **Fines:** Patron has [Outstanding fines of \\$172.00](#):
 - > **Replacement fees:** \$161.40
 - > **Overdue fines:** \$0.60
 - > **Other fees:** \$10.00

Checkouts are blocked because fine balance is over the limit. Make [Payment](#)

Track Borrower Changes

This feature tracks the staff login id or initials on the borrower registration record and also tracks the staff member involved in changes to borrower record (includes date of record creation or change as well). See Revision History tab at bottom of patron Detail page.

[0 Checkout\(s\)](#) [Fines & Charges](#) [0 Holds](#) [Revision History](#)

Revision History

Staff	Action	Date/Time
31761	MODIFY	2010-03-03 09:22:13

Borrower History Retention

Under the Circulation History tab, there are now sections for Reserves and Sent Notices history.

NEPHIA AA (12307454456)

7454 MAIN ST
ANYTOWN, TX 12345

No phone stored.

No email stored.

Category: Resident (R)

Home Library: Anytown Public Library

Check Out

Details

Fines

Clubs & Services

Circulation History

Modification Log

Messaging

Edit

Add child

Change Password

Print

More

Reading Record

Showing Last 50 Items | [Show All Items](#)

Title	Author	Call No.	Barcode	Number of Renewals	Date Due	Return Date
Cats :	Arnold, Caroline.	636.8 ARN	39344004815350		02/18/2010	Checked Out
Mothstorm :	Reeve, Philip.	YA FIC REEVE	39344008698208	1	12/20/2009	Checked Out
Graffiti world :	Ganz, Nicholas.	751.7309 GAN	39344008742238		12/20/2009	Checked Out

Reserves History

Action	Title	Author	Date
reserve	The laugh out loud guide :	Horn, Charles.	07/29/2009
reserve	11 practice tests for the SAT & PSAT.		07/24/2009
reserve	The official SAT study guide :		07/24/2009
reserve	The official SAT study guide :		07/24/2009
reserve	McGraw-Hill's 12 SAT practice tests and PSAT /		07/24/2009
reserve	McGraw-Hill's SAT /		07/24/2009
reserve	Cracking the SAT /	Robinson, Adam.	07/17/2009

Sent Notices History

Notices	Date
Anytown Public Library Notice	01/20/2010
Anytown Public Library Notice	01/10/2010

Limit On-Shelf Holds

LibLime added a function to limit the number of on-shelf holds a patron can place in one day. Set the new syspref MaxShelfHoldsPerDay to the desired number; in staff and OPAC modes up to that many on-shelf holds can be placed per patron per day. A message will appear if you try to place more than that number. Staff may override the message and place additional holds for a patron; patrons will be unable to place more holds in the OPAC. (Also see the instructions below for Maximum Fines, Maximum Holds, and Editing of Circulation Rules feature.)

Maximum Fines, Maximum Holds, and Editing of Circulation Rules

LibLime added three new system preferences and made changes in circulation rules to allow more control over fines and holds:

- UseGranularMaxFines (if enabled, this allows you to define the maximum fine charged for an item by a combination of itemtype and patroncategory in the circ rule)
- UseGranularMaxHolds (if enabled, this allows you to define the maximum number of holds by a combination of itemtype and patroncategory in the circ rule)
- WarnOnlyOnMaxFine (if UseGranularMaxFines and WarnOnlyOnMaxFine are both enabled, popup fine warnings at checkout will only occur when the fine for an item hits the max fine attribute set in the circ rules).

In circulation rules, click the Edit link -- this will copy the values from that line into the editing line at the bottom. Enter desired values into the new columns Max Accruable Fine Per Issue and Max Number of Holds, and click the Update button to save the changes.

If on-shelf holds are allowed and the MaxShelfHoldsPerDay syspref is set, the number in the max holds setting in the circ rule will override that syspref setting. For example, if MaxShelfHoldsPerDay is five and the circ rule max hold setting is three, the patron will be unable to place more than three on-shelf holds *for that item type*; the patron can place two more on-shelf holds for a different item type. NOTE: If the new suspend holds feature is implemented, and there are suspended holds for the item types with max hold settings, those suspended holds will not be counted in the number of allowable holds.

Patron Category	Item Type	Fine Amount	Fine Grace Period	Fine Charging Interval	Current Checkouts Allowed	Loan Period	Max Accruable Fine Per Issue	Max Number of Holds		
Default	Adult Paperback	0.10		1 day(s)	Unlimited	day(s)	\$3.00	200	Edit	Delete
Default	Computer Software	1.00		1 day(s)	Unlimited	14 day(s)	\$5.00	200	Edit	Delete
Default	Magazine	0.10		1 day(s)	Unlimited	21 day(s)	\$3.00	200	Edit	Delete
Default	Movies/TV Shows	1.00		1 day(s)	Unlimited	14 day(s)	\$5.00	200	Edit	Delete
Default	New Book	0.20		1 day(s)	Unlimited	21 day(s)	\$5.00	200	Edit	Delete
Default	New Childrens Movie	1.00		1 day(s)	Unlimited	14 day(s)	\$5.00		Edit	Delete
Default	New Movie	1.00		1 day(s)	Unlimited	3 day(s)	\$5.00		Edit	Delete
Default	Rental Book	0.30		1 day(s)	Unlimited	21 day(s)	\$10.00		Edit	Delete
Default	Video Game	1.00		1 day(s)	Unlimited	14 day(s)	\$5.00	200	Edit	Delete
Default	Young Adult Paperback	0.10		1 day(s)	Unlimited	21 day(s)	\$3.00	200	Edit	Delete
Default	Youth Services Holiday Paperbacks	0.10		1 day(s)	Unlimited	21 day(s)	\$3.00	200	Edit	Delete
Default	Youth Services Paperbacks	0.10		1 day(s)	Unlimited	21 day(s)	\$3.00	200	Edit	Delete

In staff mode, a warning pops up when staff try to place a hold for a patron:

Cannot Place Hold

- **Too Many Shelf Holds Today:** _____ has placed too many holds in one day for bibs with at least one available item.

In the OPAC, a patron will see a similar warning if the total number of on-shelf holds is reached:

Sorry, you cannot place more than 5 holds on available items in a single day.

Or if a particular item type's max hold setting is reached:

Sorry, you cannot place any more holds on this item type.

Predefined Borrower Notes

Instead of using the staff/opac notes field in the patron record, this LibLime feature uses a separate messaging system and table. For predefined notes, create (if necessary) authorized value category BOR_NOTES and add entries (e.g., "You left your umbrella at the library"). On the Checkout tab of patron record, click Add A New Message. Select from the pulldown whether it's intended for patron or library staff. You can either use the pulldown for a canned message or enter a free text message in the field. Save the message. Notes to library staff will show up on the patron record's Checkout tab; notes to patron will show in both the staff Checkout tab and in the patron's OPAC login. When a message has been created, there will be a link next to it to delete it.

Message for other staff (using predefined note):

Leave a message

Add a message for:

Other Librarians

Predefined notes:

Proof of Address Required

Select Note
Message
Claimed Return Not Found
Email Correction Requested
Exempt from Debt Collection
Force to Debt Collect
Proof of Address Required
Request Pickup Authorization
Used Drivers License

Visible on checkout tab:

Attention:

Messages:

> 03/03/2010 "Proof of Address Required" [Delete]
[Add a new message](#)

Message for patron (using free text entry):

Leave a message

Add a message for:
PTFS

Predefined notes:
Select Note

You left your umbrella in the library

Save [Cancel](#)

Visible in OPAC:

Messages For You

- **You left your umbrella in the library**
Written on 03/03/2010 by Anytown Public Library


Expired/Cancelled Holds Report and Setting Expiration Dates


Koha had no mechanism for removing holds from the table once they had expired or been cancelled, and expiration dates were calculated on the fly based on the value in the ReservesMaxPickUpDelay syspref. LibLime added a field named expirationdate to the reserves and old_reserves tables. When a hold is triggered, the expiration date is calculated based on the syspref and is recorded in the new field. The system will check the library calendar and will not set a hold expiration date on a closed date. We wrote a script (misc/cronjobs/holds/expireholds.pl) which should be run nightly to clear expired holds from the active table based on this expiration date field.


Once holds have expired or been cancelled, library staff need an easy way to know which items to pull from the hold pickup shelf. We wrote two reports, Expired Holds and Cancelled Holds (found under the Reports section). These are identical except for checking naturally expired holds versus actively cancelled ones. (The function had to be split into two reports because of the complicated queries needed to pull the data.)


Expired Holds

Patron Last Name (leave blank for all patrons):

Hold placed after: 



Hold placed before: 

Expiration date: 

Library: 

Output

To screen into the browser:

To a file: **Named:** **Into an application:**  ; 

Expired Holds

Title	Last Name	First Name	Date Expired	Library
Cracking the SAT /	AA	NEPHIA	2009-08-02	Anytown Public Library
The official SAT study guide :	AA	NEPHIA	2009-08-02	Anytown Public Library
11 practice tests for the SAT & PSAT.	AA	NEPHIA	2009-08-02	Anytown Public Library
McGraw-Hill's SAT /	AA	NEPHIA	2009-08-09	Anytown Public Library
McGraw-Hill's 12 SAT practice tests and PSAT /	AA	NEPHIA	2009-08-09	Anytown Public Library

We have also made improvements to the holds to pull report, adding author, collection code, and (when item-specific hold) barcode to the output:

Pending holds placed between 02/01/2010 and 02/02/2010

Reported on 02/02/2010

The following holds have not been filled. Please retrieve them and check them in.

Pull This Many Items	Items Available	Patrons with Holds	Title	Author	Collection Code	Barcode	Libraries	Available Call Numbers	Available Itypes
1	1	1	You've been warned :	Patterson, James,	Large Print		PL	L FIC PATTERSON	BK
1	1	1	One thousand white women Subtitle on container: Te journals of May Dodd : a novel. Complete & unabridged. Compact disc.	Fergus, Jim.			PL	813/.54	APB PR
1	2	1	Fire and ice (bk. 2) / Originally published: New York : HarperCollins, c2003.	Hunter, Erin.	Youth Services Animals Paperbacks		PL	RED DOT PAPERBACK (W) BLACK DOT PAPERBACK 6	JPB

Display of Hold Expiration Date

When a hold is triggered and the expiration date set as above, LibLime added that date to both staff and OPAC displays.

OPAC display:

Holds (2 total)

Title	Placed On	Expires On	Pick Up Location	Priority	Status	Cancel	Suspend
The Civil War in the words of its greatest commanders.	02/23/2010	03/13/2010	Anytown Public Library		Item waiting at Anytown Public Library	<input type="button" value="Cancel"/>	Items waiting cannot be suspended.
Scott standard postage stamp catalogue.	03/06/2010		Anytown Public Library	2	Pending	<input type="button" value="Cancel"/>	<input type="button" value="Suspend"/> Resume on: <input type="text"/> (Optional, use format MM-DD-YYYY)

Allow Multiple Holds on Items for One Title

Koha does not normally allow the same patron to place holds on more than one item on the same title. LibLime developed a feature to allow this for specified item types such as serials or multi-volume DVDs. Enter a list of item type codes (like "PER JPER") in the new syspref AllowMultipleHoldsPerBib. The list must be surrounded by double quotes.

Preference	Explanation	Value	Edit	Delete
AllowMultipleHoldsPerBib	This allows multiple items per record to be placed on hold by a single patron. To enable, enter a list of space separated itemtype codes in the field (i.e. "MAG JMAG YMAG"). Useful for magazines, encyclopedias and other bibs where the attached items are not identical.	<input type="text" value="AMD BK-MVOL"/> <input type="button" value="Save"/>	Edit	Delete

Patrons or staff will then be able to place multiple holds on a specific copy of a title matching those item types. Other item types will still block more than one hold per title.

Checked Out	Overdue	Fines	Holds				
Holds (2 total)							
Title	Placed On	Expires On	Pick Up Location	Priority	Status	Cancel	Suspend
Southwest art.	03/06/2010		Public Library	1	Pending	<input type="button" value="Cancel"/>	<input type="button" value="Suspend"/> Resume on: <input type="text"/> (Optional, use format MM-DD-YYYY)
Southwest art.	03/06/2010		Public Library	2	Pending	<input type="button" value="Cancel"/>	<input type="button" value="Suspend"/> Resume on: <input type="text"/> (Optional, use format MM-DD-YYYY)

Suspend and Reactivate Holds

Patrons frequently ask to suspend holds while on vacation. This LibLime-developed feature allows either patrons or staff to suspend a hold and either reactivate it manually or on a specified date. To suspend one, click the Suspend link in the list of holds. The suspended holds retain their number in line. An unsuspended hold with a priority of 3 would resume being a priority of 3, unless there are fewer holds than that, in which case it will go to the end of the queue. The feature does not allow holds that are waiting for pickup to be suspended. Staff or patrons may add a date to resume holds; this requires the nightly cronjob of resume_suspended_reserves.pl to reactivate holds.

OPAC display:

Checked Out
Holds

Holds (2 total)

Title	Placed On	Expires On	Pick Up Location	Priority	Status	Cancel	Suspend
The Civil War in the words of its greatest commanders.	02/23/2010		Anytown Public Library	1	Pending	Cancel	Suspend Resume on: <input type="text"/> (Optional, use format MM-DD-YYYY)
Scott standard postage stamp catalogue.	03/06/2010		Anytown Public Library	2	Pending	Cancel	Suspend Resume on: <input type="text"/> (Optional, use format MM-DD-YYYY)

Suspended Holds (2 total)

Title	Placed On	Pick Up Location	Priority	Resume On	Resume Now
Tales from a darker state:	02/23/2010	Anytown Public Library	1		Resume
Architectural digest.	03/06/2010	Anytown Public Library	1	03/15/2010	Resume

Hold Display Status

In response to concerns about on-hold items showing as available, LibLime modified both staff and OPAC displays. When a hold is triggered both staff and OPAC will show the status as Unavailable in the results list. In the record detail page, the item will show as on hold if it's an

item-specific hold, or the page will say how many holds there are if they are next-available-copy holds.

Staff results list display:

1. [The lost symbol /](#)

[Brown, Dan](#) Doubleday, Description: ; New York : , 2009 : 509 p. ; ; 25 cm. ISBN: 0385504225 New Book

27 items, None available

20 on loan:

[Anytown Public Library \[FIC BROWN\]](#) (1) date due: 12/05/2009

7 unavailable:

[Anytown Public Library Shelving Cart \[FIC BROWN\]](#) (On hold) (, , , ,) (5)

Holds

Staff title display:

New Book	Anytown Public Library In Processing	New Fiction (adult)	FIC BROWN	Checked out to _____ ; due 12/16/2009	11/25/2009	39344008748144
New Book	Anytown Public Library In Processing	New Fiction (adult)	FIC BROWN	Checked out to _____ ; due 11/06/2009 Lost	10/16/2009	39344008747658
Rental Book	Anytown Public Library In Processing	Rental Book	FIC BROWN	Checked out to _____ ; due 11/10/2009 Lost	11/09/2009	39344008747724
Rental Book	Anytown Public Library In Processing	Rental Book	FIC BROWN	Checked out to _____ ; due 11/27/2009	11/25/2009	39344008747732


Total holds: 211

Items with "On hold" status are item specific holds.

OPAC results list display:

[The lost symbol](#)

by [Brown, Dan](#) .


Type:  Book; Format: print ; Literary form: novel

Publisher: Doubleday, 2009.

Availability: No copies available **Checked out (20). Lost (2). On hold (5).**

Actions: [Place Hold](#) [Save to Lists](#) [Add to Cart](#)

OPAC title display:

 New Book	In Processing	New Fiction (adult)	FIC BROWN (Browse Shelf)	Checked out	11/06/2009
Rental Book	In Processing	Rental Book	FIC BROWN (Browse Shelf)	Checked out	11/10/2009
Rental Book	In Processing	Rental Book	FIC BROWN (Browse Shelf)	Checked out	11/27/2009

Total holds: 211

Items with "On hold" status are item specific holds.

Place Hold Option on Checkout Tab

On the checkout tab of a patron record, LibLime has added a Search to Hold section with a Search link, to make placing holds for that patron easier. Click that link and a popup window allows you to do a search.

**Checking out to LIAT MISTA
(12318893456)**

Enter item barcode:

Specify Due Date:

Popup search screen:

Search To Hold Close

Advanced Search








Search For:

Scan Indexes

[\[+\]](#)

[\[Fewer Options\]](#) [\[New search\]](#)

Limit to any of the following:

<input type="checkbox"/>  <input type="checkbox"/> Adult Paperback	<input type="checkbox"/>  <input type="checkbox"/> Audiobook	<input type="checkbox"/>  <input type="checkbox"/> Book	<input type="checkbox"/> Book- Multiple volumes
<input type="checkbox"/>  <input type="checkbox"/> CD Audiobook	<input type="checkbox"/>  <input type="checkbox"/> Computer Software	<input type="checkbox"/>  <input type="checkbox"/> ESL	<input type="checkbox"/>  <input type="checkbox"/> Holiday music CD

The results list for that search has a "place hold for patronname" link; if you select a particular title, the "place hold" link is there as well. Clicking that button will bring up the hold screen for that title, with the patron's name filled in. Click Place Hold to complete the hold, then close the popup window. If desired, refresh the patron display to update the hold list.

Results list:

1. **Tales from a darker state:** Stories of terror and suspense from The Garden State Horror Writers.

Garden State Horror Writers, Description: ; New Jersey: , 2003 : 192 p. ; 21 cm. ISBN: 1930997221

Hold for LIAT MISTA

1 item, None available
1 on loan:
 Anytown Public Library [FIC:TAL] (1) date due: 02/25/2010

[Holds](#)

Title display:

Tales from a darker state: Stories of terror and suspense from The Garden State Horror Writers.

- **Published by:** [Garden State Horror Writers.](#) (New Jersey:)
- **Description:** 192 p.; 21 cm.
- **ISBN:** 1930997221
- **Subjects:**
 - [Horror tales, American](#)
 - [New Jersey horror short stories.](#)
- **Copyright:** 2003

Hold for LIAT MISTA

Hold Policies by Patron Category

Previous changes to the circ rules allowed an overall setting; LibLime added a field to specify whether holds are allowed from any library, from the user's home library, or not allowed at all for any patron category/item type combination.

Select a library :

Patron Category	Item Type	Fine Amount	Fine Grace Period	Fine Charging Interval	Current Checkouts Allowed	Loan Period	Hold Policy	
Student	Default	\$1.00		1 day(s)	10	7 day(s)	No Holds Allowed	Delete
Teacher	Books	\$0.00			2	7 day(s)	No Holds Allowed	Delete
Default	Default	\$1.00		1 day(s)	25	7 day(s)	No Holds Allowed	Delete
<input type="text" value="Default"/>	<input type="text" value="Default"/>	\$ <input type="text"/>	<input type="text"/> day(s)	<input type="text"/> day(s)	<input type="text"/>	<input type="text"/> day(s)	<input type="text" value="From Any Library"/>	<input type="button" value="Add"/>

Fees for Holds

This LibLime-developed feature allows charging a hold fee by item type, not just patron category. Set the hold fee in the item type.

Modify Item Type

Item type DVD

Description

Image: Item type images are disabled. To enable them, turn off the [noItemTypesImages system preference](#)

Not for loan (if checked, no item of this type can be issued. If not checked, every item of this type can be issued unless notforloan is set for a specific item)

Not for hold (if checked, no item of this type can be used to fill a hold.)

Renewals:

Rental charge:

Hold fee:

Summary:

Enter a summary that will overwrite the default one in search results lists. Example, for a website itemtype :
open site will show the link just below the title

[Cancel](#)

When a hold is triggered for a patron, the charge should show immediately on the patron record. NOTE: If both the item type and the patron category have hold fees, the fees will be combined into one total (e.g., 1.00 on item type and .50 on patron category will result in a hold fee of 1.50). If the item type also has a rental charge, that will be charged at checkout.

Fine list entry:


03/04/2010	Reserve Charge - Boogeyman	1.00	0.00
03/04/2010	Rental View item Daughters of the sun	2.00	0.00

Turn Off Various Hold Trigger Buttons if Desired

Some libraries do not want staff to have the option of one or more of the buttons that normally display when a hold is triggered. For example, the site may want to force staff to always use

Print Slip and Confirm rather than just Confirm. This LibLime-developed feature adds new sysprefs HoldButtonConfirm, HoldButtonPrintConfirm, and HoldButtonIgnore to toggle on or off the display of the buttons Confirm Hold, Print Slip and Confirm, and Ignore when a hold is triggered.

HoldButtonConfirm	Display Confirm button when hold triggered. Leave either this setting or HoldButtonPrintConfirm on.	<input checked="" type="radio"/> ON <input type="radio"/> OFF <input type="button" value="Save"/>
HoldButtonIgnore	Display Ignore button when hold triggered.	<input checked="" type="radio"/> ON <input type="radio"/> OFF <input type="button" value="Save"/>
HoldButtonPrintConfirm	Display Confirm and Print Slip button when hold triggered. Leave either this setting or HoldButtonConfirm on.	<input checked="" type="radio"/> ON <input type="radio"/> OFF <input type="button" value="Save"/>



Block OPAC Renewals for Excessive Fines

This LibLime-developed feature allows libraries to block OPAC renewals if the total owed in fines exceeds a certain level. Set the syspref OPACFineNoRenewals to the desired threshold. With fines below or at that number, patrons can renew through OPAC; above the number, renewals aren't allowed and patron gets a message to that effect.

• **Please note:** Since you have **more than 5.00** in fines, you cannot renew your books online. Please pay your fines if you wish to renew your books.

Copy Patron Record

This LibLime-developed feature allows staff to take an existing patron record and use it as a template to create a new patron record, copying most information but not the first name or barcode. This is intended to help in adding multiple family members but differs from the existing Add Child function in that it does not assume the new patron is a child, or set guarantor information. With the add_borrower granular permission on, view a patron record and go under More, Copy Patron. The edit screen will display with most information already filled in.

[Edit](#) [Add child](#) [Change Password](#) [Print](#) [More](#)

NEPHIA DA BALLIN (12306366456)

6366 MAIN ST
ANYTOWN, TX 12345

Middle Initial(s):

Date of birth: 10/10/2000

Sex: F

[Edit](#)

Library: Anytown Public Library

Borrowernumber: 6366

Category: Resident (R)

Registration date: 11/09/2005

Expiration date: 11/09/2007

More dropdown menu:
Renew Patron
Set Permissions
Delete
Copy Patron
Update Child to Adult Patron

Add Adult patron DA BALLIN


Patron identity

Salutation:

Surname: *Required*

First name: *Required*

Middle Initial(s):

Date of birth:  *Required*

Other name:

Female Male N/A

Main address

Address: *Required*

Address 2:

City, State: or choose *Required*

Zip/Postal code: *Required*

Display Patron Middle Initial

This LibLime-developed feature relabels the old Initial field in the patron record to Middle Initial, and displays the middle initial in search results and on the patron display. Display is controlled with the syspref DisplayInitials.

Modify Adult patron DOBRA FADCHIS

Patron identity

Salutation:

Surname: *Required*

First name: *Required*

Middle Initial(s):

Patron search results:

[FADCHIS, DOBRA Q.](#)
8085 MAIN ST
ANYTOWN, TX 12345

Circulation, Checkout search results:

[Home](#) > [Circulation](#) > [Checkouts](#)

Patron selection

Select a patron:

- FADAR, BARBARA N ...
- FADARICO, ASTHESU ..
- FADARICO, KRINTIS ... (
- FADARICO, RENALIO ...
- FADCHIS, DOBRA Q. ...
- FADONH, JOSSA ... (123
- FADONH, RUAS ... (123C
- FADONH, RUAS ... (123C

Prompt to Save Patron Edits

This LibLime-developed feature prompts a staff person to confirm changes when a patron record is edited.



Lost, Claims Returned Displays on Patron Record

For this LibLime feature, if the syspref MarkLostItemsReturned is on, lost items will be discharged from the patron. Otherwise, lost items will remain checked out to the patron. Both lost and claims returned items will show on the patron Details tab in a brief display, with the replacement cost and barcode links to the title record(s).

Lost: [581003557279](#) (total: \$25.95)
Claims Returned: [581003734209](#) (total: \$23.95)

Fines

Partial Fine Payment

This LibLime-developed feature allows patrons to make partial payments of outstanding charges, rather than paying all or nothing. With the accept_payment granular permission on, go to a patron record's Fines tab, Pay Fines. You can click Pay next to a particular fine; this will take you to another screen where you can enter (if desired) a partial amount to be paid against that fine. Click Confirm to make the payment.

Alternatively, on the Pay Fines tab, click Pay Amount at the bottom of the screen. This will take you to another screen where you can enter a partial payment to be deducted from the total amount owed. If this approach is used, the payment will be applied in order (from the top down) to the entries in the fine list.

For Writeoff, with the writeoff_charges granular permission set, on the Pay Fines tab there will be a Writeoff button next to each fine. Clicking it takes you to another screen where you can confirm the writeoff.

Account **Pay fines** Create Manual Invoice Create Manual Credit

Fines & Charges	Description	Account Type	Notify id	Level	Amount	Amount Outstanding
Pay Writeoff	Mothstorm : 12/20/2009	FU	0	0	5.00	5.00
Pay Writeoff	Graffiti world : 12/20/2009	FU	0	0	5.00	5.00
Pay Writeoff	Cats : 02/18/2010	FU	0	0	1.30	1.30
Sub Total						11.30
Total Due						11.30

Pay Amount Writeoff All [Cancel](#)

Clicking Pay next to a specific entry:

Account **Pay fines** Create Manual Invoice Create Manual Credit

Description	Account Type	Notify id	Level	Amount	Amount Outstanding
Mothstorm : 12/20/2009	FU	0	0	5.00	5.00
Total Amount Payable :		5.00			
Collect From Patron:	<input type="text" value="2.50"/>				
<input type="button" value="Confirm"/>		Cancel			

Clicking Pay Amount:

Account **Pay fines** Create Manual Invoice Create Manual Credit

Description	Account Type	Notify id	Level	Amount	Amount Outstanding
Mothstorm : 12/20/2009	FU	0	0	5.00	5.00
Total Amount Payable :		5.00			
Collect From Patron:	<input type="text" value="2.50"/>				
<input type="button" value="Confirm"/>		Cancel			

Billing Notice and Debt Collection

LibLime wrote a feature to send patrons billing notices and then refer them to a debt collection agency if fines are not paid. For the billing notice, create a circulation notice file named BILLING with appropriate text. Turn on the syspref EnableOwedNotification and set the syspref OwedNotificationValue to the desired threshold value (i.e., any total amount owed at or above this level will generate a billing notice). The script amountdue_notices.pl will need to be scheduled to run nightly; it will generate email notices to patrons. There is also a print notice option for patrons without email addresses; run cron job as perl amountdue_notices.pl -v -html /path/to/notice/directory -- it will name the file amtduenotices-datestamp.

Modify notice

Koha module:

Code: BILLING

Name:

Message Subject:

Message Body:

<input type="text" value="LibrarianFirstname"/> <input type="text" value="LibrarianSurname"/> <input type="text" value="LibrarianEmailaddress"/> ---BRANCHES--- <input type="text" value="branches.branchcode"/> <input type="text" value="branches.branchname"/> <input type="text" value="branches.branchaddress1"/> <input type="text" value="branches.branchaddress2"/> <input type="text" value="branches.branchaddress3"/>	>>	<pre> <<borrowers.firstname>> <<borrowers.surname>> <<borrowers.cardnumber>> BILLING NOTICE: Your Library account has a balance due of \$25 or more. Please return overdue item(s) and pay the balance promptly. If not paid within 21 days of the above date, The Library will send your account to collections and charge you a \$10 service fee. The Library may also file a complaint against you in Court . The Circulation Department can answer any questions you may have. Thank you. Checked Out On: Due Date: <<items.content>> </pre>
--	----	---

The debt collection piece is a script that checks for patrons who received the billing notice but haven't yet paid. The output is in the format specified by Unique Management Inc.; it could be adapted to other collection agencies. Options are configured via command line to the script. As well as the original debt collect notification, when a patron makes a payment which needs to be submitted as an update to the company, the script checks for all activity since the last report date, and bundles it all into an update. It actually compares the current total and the last reported total, then tries to resolve that by checking for payments. There is a command line option to exclude patrons with notify dates older than a specified number of days. Sample command line options: perl debt_collect.pl --w 21 --to email1,email2 --confirm --ignore LS,SO,ILL --verbose --max-wait 180 The --w option is number of days after billing notice, the --max-wait option says to not notify anyone with a notify date older than number of days specified, and the --ignore option specifies patron categories not to be sent to debt collect (such as library staff).

Calculate Fines on Claims Returned Items

LibLime wrote a feature to stop fine accrual on claims returned items. Create an authorized value of type LOST named "Claims Returned". Enter the integer value of that entry into the syspref ClaimsReturnedValue. The fines cron will not accrue fines on items marked claims returned from the date they are so marked until they are checked in.

Authorized values

This table is used in MARC definition. You can define as many categories as you want, and you can define as many authorized values as you want for each category.

When you define the MARC subfield structure, you can link a subfield to a category. When modifying a biblio, the subfield is not entered through a free field, but through a dropdown menu.

Show Category: 

The list of status to describe a lost item

Category	Authorized value	Description	Icon	Edit	Delete
LOST	0			Edit	Delete
LOST	1	Lost		Edit	Delete
LOST	2	Long Overdue (Lost)		Edit	Delete
LOST	3	Lost and Paid For		Edit	Delete
LOST	4	Missing		Edit	Delete
LOST	5	Claims Returned		Edit	Delete

ClaimsReturnedValue	Lost value of Claims Returned, to be ignored by fines cron job	<input type="text" value="5"/>	<input type="button" value="Save"/>
-------------------------------------	--	--------------------------------	-------------------------------------

Pre-Defined Fee Types

This LibLime-developed feature gives staff the ability to define certain standard fees and to use those fees when creating a manual invoice on a patron record. If necessary, create the authorized value category MANUAL_INV (under Administration, Authorized values). Then select MANUAL_INV from the pulldown. Click the new Authorized Value for MANUAL_INV button, and create a new fee type. The authorized values table will not allow identical values even with different descriptions. Enter the fee DESCRIPTION in the value field, and the VALUE in the description field -- the script will switch them into the appropriate place when creating a manual invoice.

Modify authorized value

Category MANUAL_INV

Authorized value

Description

Choose an icon:

No image:

[Cancel](#)

To use, go into a patron record and create a manual invoice (on the Fines tab), using that fee type.

[Account](#) [Pay fines](#) [Create Manual Invoice](#) [Create Manual Credit](#)

Manual Invoice

Type:

Barcode:

Description:

Amount:

[Cancel](#)

- Lost Item
- Fine
- Account Management Fee
- New Card
- Sundry
- Computer Class Fee**
- Damaged
- Debt Collection
- Fees
- Full Service Card
- Lost or Damaged
- Lost Dynix
- Addl Purchased Card
- Media Only Card
- Media Fee
- Print Only Card

Fines display:

Account	Pay fines	Create manual invoice	Create manual credit
-------------------------	---------------------------	---------------------------------------	--------------------------------------

Date	Description of charges	Amount	Outstanding
03/03/2010	Computer Class Fee	5.00	5.00
08/28/2006	payment -- Mama rocks Papa sings View item Mama rocks, Papa sings /	1.20	0.00
06/15/2006	payment -- I spy fantasy a book of picture riddles	1.60	0.00
Total due			5.00

List Fines by Type on Checkout Tab

If the new syspref CircFinesBreakdown is turned on, this LibLime feature will break down fines by type (Overdue fees, Replacement fees, Reserve Fees, Other, Credit, etc.) on the patron Checkout tab. Otherwise the screen just shows the total amount owed.

Attention:

- > **Overdues:** Patron has **ITEMS OVERDUE**. See highlighted items [below](#)
- > **Fines:** Patron has [Outstanding fines of \\$172.30](#):
 - > **Replacement fees:** \$161.40
 - > **Overdue fines:** \$0.90
 - > **Other fees:** \$10.00

Make [Payment](#)

Messages:

[Add a new message](#)

Block Payment of Outstanding Fines

Some libraries want to prevent patrons from paying accruing fines until the overdue item is returned; LibLime developed a feature for this. With the syspref EnableOverdueAccruedAmount on, overdue fines accrue on items checked out but are not payable until the item is returned. Overdue items show on the fines list, but the Pay/Writeoff buttons are unavailable. Payment of accrued fines is allowed when an item is returned or is marked Lost.

Fines & Charges	Description	Account Type	Notify id	Level	Amount	Amount Outstanding
Pay Writeoff	ILL ITEM : BIOPHYSICS OF COMPUTATION 10/27/2009	F	0	0	1.90	1.90
Pay Writeoff	The lost symbol / 11/06/2009	F	0	0	5.00	5.00
	All you need to know about the music business / 10/27/2009	FU	0	0	1.90	1.90
	All you need to know about the music business / 12/06/2009	FU	0	0	5.00	5.00
Pay Writeoff	Lost Item The lost symbol / 39344008747658	L	0	0	29.00	29.00
Sub Total						42.80
Pay Writeoff	Sent to collections agency - Account Management fee	A	1	0	10.00	10.00
Sub Total						10.00
Total Due						52.80

Pay Amount Writeoff All [Cancel](#)

Circulation

Course Reserves

We've ported over the course reserves module from LLEK, and added sorting, display, and navigation enhancements. Turn this on with the system preference CourseReserves under Administration, System Preferences, Local Use. Under Administration, Authorized Values, add a shelving location for Reserve (LOC category), and create department and term values under the new categories DEPARTMENT and TERM. There are new granular permissions as well, "View, Create, Edit and Delete Courses", "Basic Course Reserves access" for viewing and putting items on reserve, and "Take items off course reserve". For staff without superlibrarian access, set those permissions in the patron record under More, Set Permissions:

- (*superlibrarian*) Access to all librarian functions
- (*circulate*) Circulate books
 - (*bookdrop*) User can activate bookdrop mode in Check In
 - (*change_circ_date_and_time*) User can change circulation date and time
 - (*change_due_date*) User can specify a due date other than in the circulation rules
 - (*change_lost_status*) User can set the item lost status
 - (*checkout_via_proxy*) Checkout via Proxy
 - (*circulate_remaining_permissions*) Remaining circulation permissions
 - (*exempt_fines*) User can activate exempt fines in Check In
 - (*fast_add*) User can use fast add functionality in checkout
 - (*manage_courses*) View, Create, Edit and Delete Courses
 - (*override_checkout_max*) User can override the checkout maximum
 - (*override_max_fines*) User can override block for patron over max fine limit
 - (*override_non_circ*) User can override the not for loan check
 - (*override_renewals*) Override blocked renewals
 - (*put_coursereserves*) Basic Course Reserves access, user can put items on course reserve
 - (*remove_coursereserves*) Take items off course reserve
 - (*renew_expired*) User can renew an expired borrower in checkout
 - (*view_borrower_name_in_checkin*) User can see the borrower name in Check In
 - (*view_checkout*) view items checked out to a borrower in checkin/checkout

Then, under Circulation, Course Reserves, you can create new courses. The Department and Term pulldowns are linked to the authorized values in the previous step. Fill out the Course Number, Section, and Course Name fields.

Add a Course

Department

Course Number

Section

Course Name

Term

Instructors Click submit to add this course, then you can add one or more instructors

Staff Note

Public Note

You may also enter staff and public notes, and a student count. Then click the Submit button at the bottom. Once the course is saved, in the middle of the screen you will have a lookup box for instructor names (there must be patron records for all instructors). Start typing a name and you should get a dropdown list of possible matches:

Add an instructor

aa

- AA, CHAENY B. (12307453456) -- 7453 MAIN ST, ANYTOWN, TX
- AAID-MES, HEWARD (12331380456) -- 31380 MAIN ST, ANYTO
- AAIMES, RITA (12331390456) -- 31390 MAIN ST, ANYTOWN, TX
- AALANSU, RACHOL (12331400456) -- 31400 MAIN ST, ANYTOW
- AALMESOVE, UYLIUA (12331410456) -- 31410 MAIN ST, ANYTO
- AAME, MICHAOL (12331946456) -- 31946 MAIN ST, ANYTOWN, T
- AASG, NY (12331420456) -- 31420 MAIN ST, ANYTOWN, TX

(If you don't get a dropdown list, check to see if the CircAutoCompl syspref is on.) Select the name you want, and click the Add Instructor button:

Add an instructor

AAID-MES, HEWARD

Add Instructor

You can add multiple instructors; a Remove link next to an instructor name on the screen allows you to remove an instructor if needed. When finished, click the Submit button at the bottom again to save the record.

Courses can be viewed, edited, disabled, or deleted under Circulation, Course Reserves:

New Course

Courses

Click on the course name to view items on reserve.

You can create new Departments, Terms, Collection Codes and Shelving Locations from the [Authorized Values](#) administration area.

Course Name	Department	Course Number	Section	Term	Instructors	Staff Note	Public Note	Students Count	Course Status	
Testing 101	Test course dept	T101	2	Test course term	HEWARD AAID-MES			15	enabled	Edit Delete
Testing 102	Test course dept	T102	1	Test course term	RITA AAITMES	followup class			enabled	Edit Delete

Courses are also visible in the OPAC by clicking on the Course Reserves link in the masthead; a search box there gives the option to search by name, department, course number, term, notes or instructor name:

Advanced Search | Tag Cloud | Course Reserves

Search course reserves by name, department, course number, term, notes or instructor name:

Search

Courses

Click on the course name to view items on reserve

Course Name	Department	Course Number	Section	Term	Instructors	Notes
Testing 101	Test course dept	T101	2	Test course term	HEWARD AAID-MES	
Testing 102	Test course dept	T102	1	Test course term	RITA AAITMES	

To add titles/items to a course, in staff mode click on the name of the course in the list, then click Put Items on Reserve:

Courses List	New Course	Edit Course	Put Items On Reserve
--------------	------------	-------------	----------------------

Course Name
 Testing 101

Term
 TEST

Department
 TEST

Course Number
 T101

Section
 2

Instructors
 HEWARD AAID-MES; .

Staff Note

Public Note

Students Count
 15

Course Status
 enabled

Title	Call Number	Item Type	Collection Code	Shelving Location	Library	Staff Note	Public Note
-------	-------------	-----------	-----------------	-------------------	---------	------------	-------------

On the following screen, scan barcodes for each item to be added (all items/titles must have a record in the system including temporary and instructor copies):

Add a Course Reserve

Item Barcode

Item Type

Collection Code

Shelving Location

Library

Staff Note

Public Note

[Cancel](#)

You can leave the item type, collection code, shelving location, and library as they are, or change them for the duration of the reserve. Click Submit to add an item. You will then see the title on the course-specific page in either staff or OPAC:

OPAC:

- **Course Name:** Testing 101
- **Department:** TEST
- **Term:** TEST
- **Instructors:** HEWARD AAID-MES; .
- **Course Number:** T101
- **Section:** 2
- **Notes:**

Title	Collection Code	Library	Shelving Location	Notes
State by state : a panoramic portrait of America /	Non Fiction (adult)	Anytown Public Library		

Staff:

Course Name
 Testing 101
Term
 TEST
Department
 TEST
Course Number
 T101
Section
 2
Instructors
 HEWARD AAID-MES; .
Staff Note
Public Note
Students Count
 15
Course Status
 enabled

Title	Call Number	Item Type	Collection Code	Shelving Location	Library	Staff Note	Public Note	
State by state : a panoramic portrait of America /	973 STA		Non Fiction (adult)		Anytown Public Library			Remove

In both staff and OPAC, the record display for a title will show if it is on reserve for one or more courses:

State by state : a panoramic portrait of America /

by [Weiland, Matt](#); [Wilsey, Sean](#).

[Normal View](#) [MARC View](#) [Expanded MARC View](#)

Type:  Book

Publisher: Ecco, c2008 .

Edition: 1st ed .

Description: xxxi, 572 p., [16] p. of plates : ill. (some col.), maps ; 24 cm .

ISBN: 9780061470905; 0061470902.

Other Title: Panoramic portrait of America .

Related Subjects: [U.S. states](#) | [U.S. states -- Description and travel](#) | [U.S. states -- History](#) | [United States](#) | [United States -- Description and travel](#) | [United States -- History](#)

Contents: Preface / by Matt Weiland -- Introduction / by Sean Wilsey -- Alabama / by George Packer -- Alaska / by Paul Greenberg -- Arizona / Lydia Millet -- Arkansas / by Kevin Brockmeier -- California / by William T. Vollmann -- Colorado / by Benjamin Kunkel -- Connecticut / by Rick Moody -- Delaware / by Craig Taylor -- Florida / by Joshua Ferris -- Georgia / by Ha Jin -- Hawaii / by Tara Bray Smith -- Idaho / by Anthony Doerr -- Illinois / by Dave Eggers -- Indiana / by Susan Choi -- Iowa / by Dagoberto Gilb -- Kansas / by Jim Lewis -- Kentucky / by John Jeremiah Sullivan -- Louisiana / by Joshua Clark -- Maine / by Heidi Julavits -- Maryland / by Myla Goldberg -- Massachusetts / by John Hodgman -- Michigan / by Mohammed Naseehu Ali -- Minnesota / by Philip Connors -- Mississippi / by Barry Hannah -- Missouri / by Jacki Lyden -- Montana / by Sarah Vowell -- Nebraska / by Alexander Payne -- Nevada / by Charles Bock -- New Hampshire / by Will Blythe -- New Jersey / by Anthony Bourdain -- New Mexico / by Ellery Washington -- New York / by Jonathan Franzen -- North Carolina / by Randall Kenan -- North Dakota / by Louise Erdrich -- Ohio / by Susan Orlean -- Oklahoma / by S. E. Hinton -- Oregon / by Joe Sacco -- Pennsylvania / by Andrea Lee -- Rhode Island / by Jhumpa Lahiri -- South Carolina / by Jack Hitt -- South Dakota / by Said Sayrafiezadeh -- Tennessee / by Ann Patchett -- Texas / by Christina Henriquez -- Utah / by David Rakoff -- Vermont / by Alison Bechdel -- Virginia / by Tony Horwitz -- Washington / by Carrie Brownstein -- West Virginia / by Jayne Anne Phillips -- Wisconsin / by Daphne Beal -- Wyoming / by Alexandra Fuller -- Afterword: Washington, D.C. / a conversation with Edward P. Jones -- The 50 states in numbers.


Course Reserves:

[Testing 101](#); Department: Test course dept; Course Number: T101; Section: 2; Term: Test course term; Notes: ; Instructors: HEWARD AAID-MES.

Tags from this library:

No tags from this library for this title.

Log in to add tags.



Block Checkout of Items on

LibLime added a layer of staff control with a feature requiring an override for held items checkout. With the new syspref DisableHoldsIssueOverrideUnlessAuthorised turned on, if a staff person tries checking something with a confirmed hold for one patron out to a different patron, a screen will come up asking for an override. The override requires a superlibrarian ID and password. Without the syspref turned on, any staff can override the warning and check the item out to a different patron.

Please Confirm Checkout

- Item is on reserve for 2009-05-13 : Cup CAKE (29344001915072)
- Item (Capitalism and freedom /) checked out to : Peanut Butter CUP (29344001925402). Check in and check out?

Superlibrarian Authorization Required

Username: Password:

Cancel Reserve

Backdate Due

Sites occasionally want to set a due date in the past for testing purposes. With this LibLime feature, if the `change_due_date` granular permission is on, set the syspref `AllowDueDateInPast`, then check out an item and use the calendar to set a date in the past.

Change Checkin Date

Sites may want to change the checkin date in unusual circumstances (separate from bookdrop checkin). For this LibLime feature, with the `change_circ_date_and_time` granular permission set and the new syspref `AllowCheckInDateChange` turned on, go to the Checkin screen. There will be an option to override check in date; click the calendar gadget and select a new date. Note that this does NOT forgive fines that have accrued.

<p>Check In</p> <p>Enter item barcode: <input type="text"/> <input type="button" value="Submit"/></p>	<p>Options</p> <ul style="list-style-type: none"> • <input type="checkbox"/> Forgive overdue charges • <input type="checkbox"/> Dropbox mode • <input type="text"/> <input type="button" value="Calendar"/> Override Check In Date
--	--

Print Option for Hold and Overdue Notices

LibLime has added an option to print hold and overdue notices for patrons who have no email addresses in their records. Any patron with an email address will get an email notice as usually; this feature only applies when no address is present. The overdue notices are an adaptation of the existing overdues cron job; the hold notices require running a new script nightly to gather notices which could not be emailed. For overdues, the same notice text file is used; for holds, a new notice named HOLD_PRINT is needed. In both cases, lay out the notice file to match the format of your mailer (Z-mailer or other), including blank lines and spacing over to an address window. The notice text is wrapped in `<pre>` `</pre>` tags by the script (to preserve formatting) and the output sent to an html file in a web-accessible directory. Staff can then open the file in a browser and send it to print; a page break code forces each notice to print on a new page.

Modify notice

Koha module: Holds

Code: HOLD_PRINT

Name: Hold Available for Pickup (print notice)

Message Subject: Hold Available for Pickup at <<branches.branchname>>

Message Body:

LibrarianFirstname LibrarianSurname LibrarianEmailaddress ---BRANCHES--- branches.branchcode branches.branchname branches.branchaddress1 branches.branchaddress2 branches.branchaddress3	>>	<pre><pre style="font-family: monospace"><<branches.branchname>> <<branches.branchaddress1>> <<branches.branchaddress2>> Change Service Requested <<borrowers.firstname>> <<borrowers.surname>> <<borrowers.address>> <<borrowers.city>> <<borrowers.zipcode>></pre>
--	----	--

Since automated mailer forms usually cannot cope with text that runs longer than one page, a new syspref PrintNoticesMaxLines will only print the number of items in that syspref and truncate the list of items at that point, with a note that the patron should check the full list of overdues in the OPAC. Calculate that figure by counting number of lines in your notice text. Then decide how many lines/items can print and still stay within the page length. This setting only affects print notices; emailed notices will contain the full list.

Item Type Trigger for Hold Notices

Koha only allowed setting notice triggers by patron category; this LibLime feature adds a separate table for setting triggers by item type. If using both original notice triggers and item type triggers (not recommended), we suggest using different notice files for each so it's easier to check (different notice names/text recorded in logs). NOTE: Patrons may receive multiple overdue notices if they have items of different types overdue, because the script processes one item type at a time.

Resident	<input type="text"/>	No notice	<input type="checkbox"/>
Senior Outreach	<input type="text"/>	No notice	<input type="checkbox"/>
Student	<input type="text"/>	No notice	<input type="checkbox"/>
Taxpayer	<input type="text"/>	No notice	<input type="checkbox"/>
Volunteer	<input type="text"/>	No notice	<input type="checkbox"/>
Video/Media Only Purchased Card	<input type="text"/>	No notice	<input type="checkbox"/>
Work in Town	<input type="text"/>	No notice	<input type="checkbox"/>

By item type:

	Delay	First Letter	Debar
Magazine	<input type="text" value="21"/>	First Overdue Notice	<input type="checkbox"/>
Adult Paperback	<input type="text" value="21"/>	First Overdue Notice	<input type="checkbox"/>
Book	<input type="text" value="1"/>	First Overdue Notice	<input type="checkbox"/>
Book- Mutiple volumes	<input type="text"/>	No notice	<input type="checkbox"/>
Music CD	<input type="text" value="1"/>	First Overdue Notice	<input type="checkbox"/>
Holiday music CD	<input type="text" value="21"/>	First Overdue Notice	<input type="checkbox"/>
New Childrens Movie	<input type="text" value="7"/>	First Overdue Notice	<input type="checkbox"/>
Audiobook	<input type="text" value="21"/>	First Overdue Notice	<input type="checkbox"/>

Renewal Source

This LibLime feature shows in the patron Checkout tab how many renewals have been made total, and how many of those were done through the OPAC.


2 Checkout(s) 2 Holds(s)

Due date	Title	Item Type	Call no	Barcode	Renewals	Renew?	Check In?
06/17/2009	Tri-State top 10 garden guide/ , by	BK	635.9 SUN	TESTINGJANE10	2 (1 via OPAC)	<input type="checkbox"/>	Check In
Previous checkouts							
05/10/2009	Nearest thing to heaven : Kingwell, Mark	BK	974.71 KIN	39344008288034	1	On Hold	Check In

Override Renewal Limit:

Fast Adds at Circulation

This LibLime feature allows circ staff to create a brief record at checkout. With the fast_add granular permission set, if a staff person tries to check out a barcode that doesn't exist in the system, the system will give an alert that the item doesn't exist. There will be an option to create a brief record with the “Fast Bib Add” button.



Adding a record:

Add Brief Record For Barcode TESTING

Title:	<input type="text"/>
Author:	<input type="text"/>
Notes:	<input type="text"/>
ISBN:	<input type="text"/>
Place:	<input type="text"/>
Publisher:	<input type="text"/>
Date:	<input type="text"/>
Item Details	
Barcode:	<input type="text" value="TESTING"/>
Collection Code:	<input type="text"/>
Home Location:	<input type="text"/>
Holding Location:	<input type="text"/>
Shelving Location:	<input type="text"/>
Call Number:	<input type="text"/>
Item Type:	<input type="text"/>
Confirm Add	Cancel

When the item is checked back in, the system should alert the staff member to send the item and brief record to Cataloging for full MARC record creation.

1 Checkout(s) 2 Holds(s)

Due date	Title	Item Type	Call no	Barcode	Renewals	Renew?	Check In?
06/02/2009	Test Fast Add , by Wagner, Jane- ROUTE TO CATALOGUING - FASTADD RECORD	BK	TESTJANE	testing		<input type="checkbox"/>	Check In

Check In Damaged

If an item's status is set to damaged while it is checked out, and there are existing holds on the item, checking the item in will not trigger the next hold in this LibLime-developed feature. Instead, a screen message will advise that there are holds waiting but the item is damaged. If there are multiple items and others are available, a screen message says so; staff should retrieve one of the other items to trigger and fill holds.

If no other items available:

Item Damaged: [Weather and climate :](#)
Hold will remain on item until repaired

Check In
Enter item barcode:

Options

- Forgive overdue charges
- Dropbox mode

Checked-In items

Due Date	Title	Author	Barcode	Type	Patron	Note
09/25/2009 (overdue)	Weather and climate :	Harper, Kristine.	33581003097904	BK NF	Dwarf, Grumpy (AR)	

If other items are available:

Item Damaged: [Glory in death /.](#)
Other items are available to be checked out

Check In
Enter item barcode:

Options

- Forgive overdue charges
- Dropbox mode


Checked-In items

Due Date	Title	Author	Barcode	Type	Patron	Note
10/16/2009	Glory in death /.	Robb, J. D. ,	33581003131737	PB PBK	Bunny, Benjamin (JR)	

Clear Borrower Record After Checkout

LibLime has written two features to clear the screen after a patron checkout, a button for manual use and a timeout for a prompt. To clear manually, turn on the syspref DisplayClearScreenButton. On Checkout screen, click Clear Screen button to clear.

For the timeout, set the syspref CheckoutTimeout to some value (in seconds). When on the patron Checkout tab, after the specified period of inactivity, a "Circ Timeout – Are you finished with this patron?" prompt appears.



Turn Off Returns Column in Patron Record Display

If the new syspref PatronDisplayReturn is off, the Return column does not display in the list of checkouts on the patron Details or Checkout tab. Returning items from these pages can skip some or all of the standard circulation functions that returning through Circulation, Checkin checks (including triggering holds). LibLime wrote this patch to give libraries the ability to turn off the return option on the patron tabs. This forces staff to use the proper workflow for checking in items.

With the column turned off, renew is the only option:

2 Checkout(s)		Fines & Charges	0 Holds	Revision History				
Due date	Title	Item Type	Checked out on	Call no	Charge	Price	Renew select all none	
12/15/2009	The last stand of the tin can sailors ; by Hornfischer, James D.; Bantam Books, 39344006935750	Book	11/24/2009	940.5425 HOR	0.00	25.00	<input checked="" type="checkbox"/>	
12/21/2009	Blood alone ; by Benn, James R.; Soho, 39344008442284	Book	11/30/2009	MYS BENN	0.00	24.00	<input checked="" type="checkbox"/>	
Totals:					10.00	49.00	Renewal due date: <input type="text"/> Forgive fines on return: <input type="checkbox"/>	

Override Renewal Limit:

Cataloging

Resolving Holds When Deleting a Bibliographic Record or Item

When a staff member attempts to delete an item or bib record with holds on it, Koha will now produce a pop-up notification alerting the staff member that there are holds. The staff member can choose to continue with the delete, which will delete the item/bib as well as the holds, or to cancel and do nothing. This feature works for both title- and item-level holds.

When a hold is deleted during this process, a hold canceled notice is sent to the patron. As with other notices, patrons may choose to opt in or out of the notice.

Batch Item Edit

LibLime has added batch item editing capability. With the `batch_item_edit` granular permission on, go to Tools, Batch Edit Items. You can select and edit Library, Item Type, Location, Permanent Location, Not For Loan, Damaged, Lost status, Withdrawn status, Use Restrictions, Holding Branch, and Collection Code. In the left-hand column check the box next to the field(s) you want to search on, then use the pulldowns to identify your search criteria. For batch editing, in the right-hand column check the box next to the setting(s) you want to change, and use the pulldowns to select the new value(s). Then click Proceed.

There is an option on the initial screen to upload a file of barcodes to edit instead of using the first column's search options. You would select the file name to upload, then make your edit selections in the second column of field

Batch Edit Items

Select the field values you wish to select on and the fields and values you wish to update

Item field	Select On	Select value	Update	New Value
Home Library:	Select? <input type="checkbox"/>	Anytown Public Library ▼	Change? <input type="checkbox"/>	Anytown Public Library ▼
Current Location:	Select? <input type="checkbox"/>	Anytown Public Library ▼	Change? <input type="checkbox"/>	Anytown Public Library ▼
Item Type:	Select? <input checked="" type="checkbox"/>	Adult Paperback ▼	Change? <input checked="" type="checkbox"/>	Book ▼
Shelving Location:	Select? <input type="checkbox"/>	Children's Area ▼	Change? <input type="checkbox"/>	Children's Area ▼
Not For Loan:	Select? <input type="checkbox"/>	▼	Change? <input type="checkbox"/>	▼
Damaged:	Select? <input type="checkbox"/>	▼	Change? <input type="checkbox"/>	▼
Lost status:	Select? <input type="checkbox"/>	▼	Change? <input type="checkbox"/>	▼
Withdrawn status:	Select? <input type="checkbox"/>	▼	Change? <input type="checkbox"/>	▼
Use Restrictions:	Select? <input type="checkbox"/>	▼	Change? <input type="checkbox"/>	▼
Collection Code:	Select? <input type="checkbox"/>	Adult Biography ▼	Change? <input type="checkbox"/>	Adult Biography ▼

On you can upload a file of barcode numbers to change

Barcode file:	<input type="text"/>	<input type="button" value="Browse..."/>
---------------	----------------------	--

[Refresh Selection](#)
[Cancel](#)

Other Item Statuses

This LibLime-developed feature allows a library to define local statuses for items, and to control whether or not items with those statuses can have holds placed. We identified an unused subfield (subfield k) in the 952 and used it for this purpose and, also created a new field named otherstatus in the items table. Under Administration, Other Item Status, the library can define new statuses (e.g., Cataloging, Trace, Storage) and mark them holdable or not. (This feature also requires some configuration changes to the MARC frameworks.)

System Preferences

- [System Preferences](#)

Basic parameters

- [Libraries and groups](#)
- [Funds and budgets](#)
- [Currencies and exchange rates](#)
- [Item types](#)

Patrons and circulation

- [Patron types and categories](#)
- [Cities and towns](#)
- [Road types](#)
- [Patron attribute types](#)
- [Circulation and fines rules](#)
- [Library transfer limits](#)
- [Item circulation alerts](#)
- [Other item status](#)

Catalog

New Item Status

Item Status Administration

Code	Description	Holds allowed	Action
		No	Edit Delete
cat	Cataloging	Yes	Edit Delete
conya	Coming off New/YA	Yes	Edit Delete
cooj	Coming off O/J	Yes	Edit Delete
coryd	Coming Off R/Y Dot	Yes	Edit Delete
da	Display Area	Yes	Edit Delete
dc	YS Display	Yes	Edit Delete
mc	Media Cleaning	Yes	Edit Delete
oflow	Overflow	Yes	Edit Delete
OO	On Order	No	Edit Delete

<< < 1 2 > >>

The status is set either by editing the full item record, or by going to the Items tab in the title record and using the pull-down.

Barcode mq433509

Item Information [\[Edit Items\]](#)

Home Library:
Item type:
Collection:
Item Callnumber:
Replacement Price:

Statuses

Current Location:
Checkout Status:
Lost Status:
Damaged Status:
Withdrawn?:
Other Item Status:

- Cataloging
- Coming off New/YA
- Coming off O/J
- Coming Off R/Y Dot
- Display Area
- In Cataloging
- In Processing
- Media Cleaning
- On Order
- Online
- Overflow
- Repairs
- Senior Center Display
- Shelving Cart
- Storage
- Trace
- YS Display
- YS Office

Trace


Trace

These statuses show in both staff and OPAC item listings. The status is cleared when an item is checked in, or by editing the status as above.

Staff display:

Item type	Location	Collection	Call Number	Status	Last seen	Barcode
Book	Anytown Public Library	Non Fiction (adult)	813.4 TWAIN	Trace	07/12/2009	39344004248065

OPAC display:

Item type	Location	Collection	Call Number	Status	Date Due
 Book		Non Fiction (adult)	813.4 TWAIN (Browse Shelf)	Trace	

Adding Additional Items Copies Item Data

Library staff asked LibLime to develop a feature to make creating additional items easier. Search for an existing title in staff mode, and display it. Clicking New, New Item on the title display page will open a new item screen with data (except barcode and other fields such as number of checkouts) copied from the first item attached to the record. The acquisition date will be today (rather than date from first record).

In Processing/Shelving Cart

This LibLime feature allows both newly-created items and newly returned items to display as In Processing or Shelving Cart. To configure, create authorized values of type LOC for In Processing and Shelving Cart (named PROC and CART, with whatever descriptions you want).

Authorized values

This table is used in MARC definition. You can define as many categories for each category.

When you define the MARC subfield structure, you can link a subfield to modifying a biblio, the subfield is not entered through a free field, but the

Show Category:

Category	Authorized value	Description	Icon	Edit	Delete
LOC	CART	Shelving Cart		Edit	Delete
LOC	CHILD	Children's Area		Edit	Delete
LOC	DISPLAY	On Display		Edit	Delete
LOC	FIC	Fiction		Edit	Delete
LOC	NEW	New Books		Edit	Delete
LOC	PROC	In Processing		Edit	Delete
LOC	REF	Reference		Edit	Delete

Set the syspref `NewItemsDefaultLocation` to the processing code (PROC), and when cataloging create items with their desired final shelving location. All newly catalogued items will be temporarily set to the location in this preference. The original location code entered at item creation is stored in the new items table column 'permanent_location', for future use. With the system pref `InProcessingToShelvingCart` also turned on, check in new items with a location code for PROC. They will be modified to have a new location code of CART and will display with that location's description (usually Shelving Cart). A cron job script runs at specified intervals to move items from CART to the permanent shelving location. (For example, an hourly cron entry of `cart_to_shelf.pl --hours 3` where `--hours` is the amount of time an item should spend on the cart.)

If the syspref `ReturnToShelvingCart` is turned on, any newly-checked-in item is also automatically put into the shelving cart, to be covered by the same script run. Checkins with confirmed holds will not go into the shelving cart. If items on the shelving cart are checked out, the location will be cleared.

Staff display:

Holdings		Descriptions				
Item type	Location	Collection	Call Number	Status	Last seen	Barcode
Youth Services Media	Anytown Public Library In Processing	Youth Services Audiobooks	JAB ROWLING	Available	03/04/2010	TESTDEMO3
Youth Services Media	Anytown Public Library Shelving Cart	Youth Services Audiobooks	JAB ROWLING	Available	03/04/2010	39344005854325

OPAC display:

Item type ▾	Location ⚡	Collection ⚡	Call Number ⚡	Status ⚡	Date Due ⚡
Youth Services Media	In Processing	Youth Services Audiobooks	JAB ROWLING (Browse Shelf)	Available	
Youth Services Media	Shelving Cart	Youth Services Audiobooks	JAB ROWLING (Browse Shelf)	Available	

Ability to Edit Permanent Shelving Location for In Processing/Shelving Cart Feature

LibLime previously delivered a feature which records the intended permanent shelving location at item creation and stores it in a separate field, then temporarily uses the regular shelving location field for In Processing or Shelving Cart values. In certain situations, this has caused problems if a site mistakenly entered In Processing as the regular shelving location, or later wanted to change the permanent location (such as from New Book Shelf to Stacks). If the permanent location field had an undesirable entry, the item would revert to that location after every checkin.

We have added the ability to edit the permanent shelving location field in the item edit screen. Staff should not fill this field in as part of regular cataloging, but may use it to correct bad entries:

7 - Not for loan	<input type="text"/>
8 - Collection code	Comedy DVD <input type="text"/>
C - Permanent shelving location	In Processing <input type="text"/> ←
a - Permanent location	Anytown Public Library <input type="text"/>
b - Current location	Anytown Public Library <input type="text"/>
c - Shelving location	New Books <input type="text"/>
d - Date acquired	2010-07-13 <input type="text"/>

Save Import Profiles

This LibLime-developed feature expands Koha's MARC import function to allow creation of items with pre-defined fields and adding or stripping specified MARC tags. Under Tools, Stage MARC Records for Import, upload a file.

Stage MARC Records For Import

- Select a MARC file to stage in the import reservoir. It will be parser
- You can enter a name for this import. It may be useful, when creat from!

Stage records into the reservoir

Select the file to stage:

You will then see an option in mid-screen to either apply a saved profile or save your current settings as a profile.

Import profiles

Use import profile:

Save these settings as an import profile named:

If you click the New Item button on the profile screen, you have the option to create one or more items with settings for item type, call number, etc.

After clicking New Item:

Add more items to each record?

NOTE: if you select to add new items here, any item records in the incoming bibliographic record will also be unavoidably added!

If you make changes to this form, and want to save them, be sure to save the profile!

If you have added an item already, or are working from a saved profile, you can modify the item settings.

Add more items to each record?

NOTE: if you select to add new items here, any item records in the incoming bibliographic record will also be unavoidably added!

Adding 1 more item(s), from import profile. [Modify](#)

New item

If you make changes to this form, and want to save them, be sure to save the profile!

In either case, an item edit screen will expand out and you can specify the settings for items to be added when the title is loaded.

Add more items to each record?

NOTE: if you select to add new items here, any item records in the incoming bibliographic record will also be unavoidably added!

0 - Withdrawn status

1 - Lost status

2 - Source of classification or shelving scheme

3 - Materials specified (bound volume or other part)

4 - Damaged status

5 - Use restrictions

7 - Not for loan

8 - Collection code

a - Permanent location

b - Current location

c - Shelving location

d - Date acquired

e - Source of acquisition

You can also use the Modify Subfields section to add or remove a MARC field or subfield from your incoming data file.

x - Non-public note

y - Koha item type

z - Public note

Remove this item

New item

If you make changes to this form, and want to save them, be sure to save the profile!

Modify subfields of each record?

Remove tag: tag +

- Remove tag:
- Remove subfield:
- Remove match:
- Add:
- Add, if not present:

ISBN-13 Indexing

This feature adds index support for ISBN-13 entries.

OPAC

Remote stylesheets with apache for multi-URL OPAC setups

This feature makes it easier for sites using multiple URLs and stylesheets for each member library.

Bestseller's Club and Email Notifications

LibLime expanded on Kyle Hall's earlier Clubs & Services feature. The customer library wanted a way for patrons to join a bestseller's club and have holds automatically placed on any matching new title. They also (separately) wanted emails to go to patrons when new titles matching certain criteria were added to the collection. This feature is under Tools, Clubs and

LibLime Koha 4.2 Release Notes *Page 63*

Services. There must first be at least one archetype for each type before a club or service can be created. Multiple clubs/services can be created based on the archetype.

There is also the option in the archetype setup to allow patron self-enrollment or require an email address in the patron record before a patron can join a club (a necessity for an email service).

Club Archetypes											
Owner	Title	Description	Public Enrollment	Require Email	Club Data 1 Title	Club Data 2 Title	Club Data 3 Title	Enrollment Data 1 Title	Enrollment Data 2 Title	Enrollment Data 3 Title	
NO_L	Bestsellers Club	This club archetype gives the patrons the ability join a club for a given author and for staff to batch generate a holds list which shuffles the holds queue when specific titles or books by certain authors are received.	1	0	Title	Author					Edit D

Service Archetypes											
Owner	Title	Description	Public Enrollment	Require Email	Service Data 1 Title	Service Data 2 Title	Service Data 3 Title	Enrollment Data 1 Title	Enrollment Data 2 Title	Enrollment Data 3 Title	
MID	New Items E-mail List	New in last seven days	1	1							Edit D

Create a new club, and fill out the data required. You can set the club by Title and/or Author; probably most of the time it will be author. The author field here has to match the author field of the items exactly. For example, to make a Larry Niven bestseller's club, fill in the author field with 'Niven, Larry.' (Don't enter the quote marks, but note the period after the name). After that, a batch hold is placed on any newly catalogued item where the author field is 'Niven, Larry.'. (NOTE: Only applies to new titles, not to new items added to existing titles.) You can use % for truncation, like Personal memoir% or Niven, Lar% (for anything starting with that string). Under Clubs & Services Home, you can enroll new users, or click details to see current list and remove users. You can also add/delete users from the patron record in staff or OPAC. If the list is created to allow public enrollment, patrons can join through their OPAC account.

You can restrict the clubs to certain item type codes, so that for example a hold would only be triggered on a book, not a DVD of the same title/author. However, because a title can be added without items attached, the underlying club software must rely on the biblioitems.itemtype field, not the actual item record's setting. When a record is imported, Koha sets this field from the first item type in the list of possible item types on your system, which may not be appropriate. To be sure the title will be included or excluded from a club, before saving the title edit the 942

subfield c to the appropriate item type. This is the field the club software uses; it does not look at the 952 subfield y.

	Woods, Stuart	Stuart Woods New Book Club	2009-10-09		Edit	Delete
	Connelly, Michael	Michael Connelly New Book Club	2009-10-13		Edit	Delete
	Saul, John	John Saul New Book Group	2009-10-14		Edit	Delete
Services						
Owner	Title	Description	Start Date	End Date		
	New Items E-mail List	New in last seven days	2009-09-26		Edit	Delete

Edit a Club or Service	
Archetype:	<input type="text" value="Bestsellers Club"/>
Title:	<input type="text" value="Archer, Jeffrey"/>
Description:	<input type="text" value="Jeffrey Archer New Book Club"/>
Title:	<input type="text"/> <small>If filled in, the the club will only apply to books where the title matches this field. Must be identical to the MARC field mapped to title.</small>
Author:	<input type="text" value="Archer, Jeffrey%"/> <small>If filled in, the the club will only apply to books where the author matches this field. Must be identical to the MARC field mapped to author.</small>
Item Types:	<input type="text" value="BK"/> <small>Put a list of space separated Item Types here for that this club should work for. Leave it blank for all item types.</small>
<small>Date format is : YYYY-MM-DD</small>	
Start Date:	<input type="text" value="2009-10-09"/> <small>Optional: Leave blank for start date of today.</small>
End Date:	<input type="text"/> <small>Optional: Leave blank for no end date.</small>
<input type="button" value="Update"/>	

The mailing lists are based on two criteria, the itemtype and the callnumber. For example, if you want a list for new science fiction novels, and your sf books all begin with the call number 'SF author', then you would fill in the callnumber field with 'SF %'. To limit to only the book itemtype, put 'BK' in the itemtype field (assuming that is what you set the book itemtypes code to). (As above, this is looking at the 942c field, not the item-level item type.) To make it work for all itemtypes, just put '%' in the itemtype field. For an inverse example, such as a new DVD list, just fill in the itemtype with 'DVD', and the author field with '%'. For email notifications, the mailinglist.pl script will send out a weekly e-mail based on an Email List archetype. The e-mail text is based on the template file found in the misc/cronjobs/maillinglist directory; this template can be customized for each library. The script is also found in misc/cronjobs/maillinglist and should be cronned to run probably at least weekly. The script looks for items created less than a specified number of days ago (command line parameter) matching the other parameters; if no date range is specified, it defaults to the last seven days. Example: perl mailinglist.pl --start 14 --end 0 --name "NewItems" will produce a list of everything in the last 14 days based on the NewItems email service. The --name parameter MUST match the policy name (not description) of an existing email service. If no name is specified, the script will run for all existing services. NOTE: The delivered template file uses the syspref OPACBaseURL to create a direct link to the title record in the message text. Make sure that syspref has the correct setting. Also note that the AutoEmailPrimaryAddress syspref must be actively set to the proper patron email field.

Patrons can join clubs or email lists through the OPAC if it is set up for public enrollment, or staff can enroll patrons. If a title and item matching a club setup is added, everyone in the club gets an automatic hold placed on the item (the priority order is randomized each time). Patrons who've joined an email list get a regular (probably weekly) email of any new titles matching the list criteria.

Enrolling through the OPAC:

my summary	Enroll In Clubs & Services				
my fines	Title	Description	Library	Type	
my personal details	Archer, Jeffrey	Jeffrey Archer New Book Club		club	Enroll
my tags	Baldacci, David	David Baldacci New Book Club		club	Enroll
my reading history	Bradford, Barbara Taylor	Barbara Taylor Bradford New Book Club		club	Enroll
my purchase suggestions	Brown, Sandra	Sandra Brown New Book Club		club	Enroll
my lists	Clark, Carol Higgins	Carol Higgins Clark New Book Club		club	Enroll
my clubs & services	Clark, Mary Higgins	Mary Higgins Clark New Book Club		club	Enroll
	Connelly, Michael	Michael Connelly New Book Club		club	Enroll
	Cornwell, Bernard	Bernard Cornwell's New Book Club		club	Enroll
	Cornwell, Patricia	Patricia Cornwell New Book Club		club	Enroll
	Deaver, Jeffrey	Jeffrey Deaver New Book Club		club	Enroll
	DeMille, Nelson	Nelson DeMille New Book Club		club	Enroll
	Evanovich, Janet	Janet Evanovich New Book Club		club	Enroll
	Fielding, Joy	Joy Fielding New Book Club		club	Enroll

When a new title is added a hold is placed automatically:

Existing Holds

Priority	Patron	Notes	Date	Pick up Library	Details	Suspend Hold
1	PTFS	Automatic Reserve for Bestsellers Club	03/01/2010	Public Library	Next available	<input type="checkbox"/> Resume on: <input type="text"/> (Optional, use format MM-DD-YYYY)

OPAC Inactivity Timeout

This LibLime feature allows a library to set a timeout for OPAC sessions in the new syspref `ResetOpacInactivityTimeout`. After no inactivity for the specified time (in seconds), the browser will force a logout of the current user and return to the main OPAC page. This is especially meant for public workstations in the library but will affect home users as well; a warning about the inactivity timeout should be added to the OPAC's main page.

Clear Reading History

Patrons with concerns about privacy can opt to clear their reading history if the library allows it. Turn this LibLime feature on with the syspref AllowReadingHistoryAnonymizing. Then the option to clear will be in OPAC under Reading History tab and in staff mode at bottom of patron edit screen. (OPAC display requires having existing syspref opacreadinghistory turned on.)

my reading history	No cover image available	A spell for Chameleon / Anthony, Piers.	SCI FIC ANTHONY	07/23/2009
my lists	Enable Reading History? <input type="radio"/> Yes <input checked="" type="radio"/> No <input type="button" value="Save"/>			
my clubs & services	<small>By subscribing to My Reading History (choice Yes above), I acknowledge that the library's online catalog will retain for my personal use a list of all materials that I borrow. I may unsubscribe from this service at any time (choice No above), which will permanently delete anything not currently checked out from my reading history. Library staff will not access or release my reading history unless required by law to do so. I understand that anyone with access to my library card number and PIN can check my reading history or any other information attached to my account.</small>			

This will delete anything that is not currently checked out from the patron's reading history. Staff can also anonymize the reading history by editing the patron record and selecting the option under the Disable Borrower Reading History section.

OPAC “Did You Mean” Feature

This LibLime-developed feature uses an open source dictionary to suggest five terms if an OPAC search term is misspelled or not found. Clicking on one of the suggestions will do a new search based on that term.

“**strte** ” returned 3810 results. 

Refine your search

Did you mean: [st rte](#) [st-rte](#) [street](#) [strut](#) [strata](#)

Site-Controlled Counts for Did You Mean

LibLime previously delivered a Did You Mean feature for the OPAC, to offer alternative spelling suggestions. This enhancement extends the feature to staff mode and creates two new system preferences, OPACSearchSuggestionsCount and StaffSearchSuggestionsCount. If set to

zero, these sysprefs turn off the Did You Mean feature. Otherwise, sites can specify the number of suggestions offered. The default for both staff and OPAC is five.

Turn Off My Messaging Tab in OPAC

By default, newer versions of Koha allow patrons to set their own messaging settings for holds, advance notices, etc. This LibLime feature lets a library turn off display of that tab in the OPAC if desired. Use the new syspref `opacmsgtab` to turn on or off the OPAC My Messaging tab; this also controls display of the email/text message settings in the OPAC My Personal Details tab.

OPAC and Staff Advanced Search Changes

For both OPAC and Staff advanced search screens, this LibLime-developed feature moves subject, title, and call number search options higher in the pulldown list, and adds a Search button near the top of the screen so that users don't have to scroll down to the bottom.

OPAC advanced search:

The screenshot shows the OPAC advanced search interface. At the top, there is a "Search for:" label. Below it is a dropdown menu with "Keyword" selected. To the right of the dropdown are three search input fields. The first field is empty. The second field has a dropdown arrow and is empty. The third field has a dropdown arrow and is empty, with a "[+]" button to its right. Below the input fields is a "Search" button and two links: "[Fewer Options]" and "[New Search]". The dropdown menu is open, showing the following options: Keyword, Title, Title Phrase, Series Title, Call Number, Subject, Subject Phrase, Author, Author Phrase, and Corporate Name.

Curriculum Indexing and Search

We have added a specialized index named "curriculum" for the 658 subfields a, b, and c. The 658 includes index terms denoting curriculum or course-of-study objectives applicable to the
LibLime Koha 4.2 Release Notes

Page 68

content of the described materials. This index is now searchable through staff or OPAC advanced search, with More Options clicked:

Search for:

Keyword [input field]

Keyword [input field]

Title [input field]

Title Phrase [input field]

Series Title [input field] [+]

Call Number [input field]

Subject [input field]

Subject Phrase [input field]

Author [input field]

Author Phrase [input field]

Corporate Name [input field]

Conference Name [input field]

Conference Name Phrase [input field]

Personal Name [input field]

Personal Name Phrase [input field]

Language [input field]

Notes/Comments [input field]

Curriculum [input field]

Publisher [input field]

[Search] [Fewer Options] [New Search]

You should also use "-1987" for everything published before 1987 or "2008-" for everything published after 2008.

Audiobook Book Book- Multiple volumes

OPAC Description for Authorized Values

The configuration for authorized values (including Collection Code and Shelving Location) now has the ability to have a separate description for OPAC display as well as the original (now staff) description. If there is no entry in the OPAC description field, the OPAC will use the staff description.

Turn Off Item Type/Collection Code Search Section in Advanced Search



The AdvancedSearchTypes and OPACAdvancedSearchTypes system preferences control whether the advanced search page has a section for searching by item type or collection code. A third option (“none”) has been added into the pulldowns for these sysprefs. If “none” is selected, the advanced search screen will not display that section at all.

Sorting of Item Holdings in Staff and OPAC

The default sort order for items attached to a title in staff mode is the accession date in the item record (the date the item was created). In the OPAC, it's the (previous) first column in the items table (item type). Thus, a particular library's holdings will be scattered through the list instead of grouped by library -- a real problem especially for serial issues. This LibLime feature forces the primary sort in both staff and OPAC to be by branch library description, so that a library's holdings display together.

Rename OPAC Cart Feature as Desired

Many sites do not like the name Cart for the OPAC feature; they would prefer something like Bookbag or Personal Shelf. This LibLime-developed feature creates a new syspref opacbookbagName to rename the OPAC Cart feature if desired. The syspref defaults to Cart, and if no text is entered, the code will also default to Cart.



Set Off Shelving Location in OPAC display

As delivered, Koha's OPAC item display runs the library branch description and the shelving location together in one line. This LibLime feature forces a line break, and puts the shelving location in italics for better clarity.

Holdings (4)		Title Notes				
Location	Item type	Collection	Call Number	Vol Info	Status	Date Due
Library and Archives Open Stacks	Book	General Collection	E 312 .F82 (Browse Shelf)	v.1	Available	
Library and Archives Open Stacks	Book	General Collection	E 312 .F82 (Browse Shelf)	v.2	Available	
Library and Archives Open Stacks	Book	General Collection	E 312 .F82 (Browse Shelf)	v.5	Available	
Library and Archives Open Stacks	Book	General Collection	E 312 .F82 (Browse Shelf)	v.6	Available	

Turn Off Place Holds Link at Top of OPAC Results List

As delivered, the OPAC results list has a Place Hold link by each entry, but also allows users to check multiple entries and use a Place Hold link at the top of the screen. This has caused problems for some sites with tight holds policies, so LibLime wrote a fix. The new syspref DisplayMultiPlaceHold allows those sites to turn off the button if desired.



Allow OPAC and Staff to Use Different Settings for Advanced Search

The existing syspref AdvancedSearchTypes controlled whether the Advanced Search screen in both staff and OPAC would use either item types or collection codes as a type limit. Certain libraries have specialized searching needs, and want to have one option for staff and another for patrons. This LibLime-developed feature adds a new syspref, OPACAdvancedSearchTypes, to control the OPAC display. The original syspref continues to control the staff display.

Display 866 Summary Holdings Note in OPAC Main Detail Section

LibLime wrote a feature to display the 866 subfield z holdings note in the OPAC title screen's main display area, so the information is visible to patrons.

Martha Stewart living.

by [Stewart, Martha.](#)

[Normal View](#) [MARC View](#) [Expanded MARC View](#) [Card View \(ISBD\)](#)

Type:  Continuing Resource

Publisher: Time, Inc. Magazine Co., 1990- .

Description: v. ; 28 cm .

ISSN: 1057-5251.

Other Title: Living .

Related Subjects: [Home economics -- Periodicals](#) | [Women -- Periodicals](#) | [Gardening -- Periodicals](#) | [Crafts -- Periodicals](#)

Holdings Note: Library holds last five years. 

Control Display of ISBD Tab in OPAC

The OPAC was not obeying the viewISBD syspref; LibLime wrote a patch to extend that functionality to the OPAC. If that syspreff is off, this tab will not be visible.

ISBD View [Normal View](#) [MARC View](#) [Expanded MARC View](#) [ISBD View](#)

Coast to coast in punch needle : the 50 states, state flowers, birds & trees. Coast to coast in punch needle : fifty states, state flowers, birds and trees - Urbandale, IA : Landauer Books, 2008. - 112 p. : ill., col. ; 28 cm.

ISBN: 0979371147 (pbk.) 9780979371141 (pbk.)

LCCN: 2008920302

Subjects--Topical Terms:
Canvas embroidery--Patterns.
Embroidery.
Punched work.

Search by Shelving Location

In the OPAC advanced Search, if More Options is active, LibLime added a section to search by shelving location:

Limit to any of the following shelving locations:

<input type="checkbox"/> Audio Visual	<input type="checkbox"/> Book Cart	<input type="checkbox"/> Children's Area	<input type="checkbox"/> Fiction
<input type="checkbox"/> General Stacks	<input type="checkbox"/> New Materials Shelf	<input type="checkbox"/> On Display	<input type="checkbox"/> Processing Center
<input type="checkbox"/> Reference	<input type="checkbox"/> Staff Office		

Subtype limits

Any Audience ▾ Any Content ▾ Any Format ▾ Additional Content Types for Books/Printed Materials ▾

Location and availability:

All libraries ▾

Only items currently available for loan or reference

Sort by:

Relevance ▾

[Search](#) [\[Fewer Options\]](#) [\[New Search\]](#)

Flag for SSL Enabled to fix 3rd Party Enhanced Content in OPAC

LibLime added a check for SSL in the OPAC for Syndetics and LibraryThing. If a site has SSL enabled, this feature automatically uses the appropriate https form of the URL rather than the http version.

Turn off Fines Display in OPAC Account

LibLime contributed to a feature that turns off both the Fines tab and the fines column in the patron's OPAC account if the library does not use fines. If the OPACFinesTab syspref is off, this information is hidden.

Serials

Item Defaults Stored in Subscription Record

Item defaults can be stored in the subscription record when the subscription is set to *create a new item record* when receiving the serial. These options appear at the bottom of the add/modify subscription screen. When defaults are entered into the subscription record, they are automatically added to the item record for new serials (see figure 1).

Figure 1: Highlighted are the item defaults entered into the subscription record. In addition to item defaults, home library, holding library and barcode are also copied into the new item record.

Serial Edition *The nightfly.*

Numbered	Published on	Expected on	Status	Notes
Issue Vol 1, No 1, Issue 1		08/23/2010	Arrived	

Item

0 - Withdrawn status

1 - Lost status

2 - Source of classification or shelving scheme

4 - Damaged status

5 - Use restrictions

7 - Not for loan Ordered

8 - Collection code Adult Fiction

C - Permanent shelving location Fiction

a - Permanent location Anytown Public Library

b - Current location Anytown Public Library

c - Shelving location Fiction

d - Date acquired

e - Source of acquisition

g - Cost, normal purchase price 5.99

h - Serial Enumeration / chronology

i - Suppressed Do not Suppress

k - Other item status

o - Full call number

p - Barcode

t - Copy number

u - Uniform Resource Identifier

v - Cost, replacement price 5.99

w - Price effective from

y - Koha item type

z - Public note

Web-Based Self-Check System

Automated Staff Login

Koha has a web-based self-check page, where staff users can log in to activate the page and then patrons can check out their own materials. Certain small libraries asked for this feature to be automated, so that no manual staff login was required. This LibLime-developed feature adds three new sysprefs, AutoSelfCheckAllowed, AutoSelfCheckID, AutoSelfCheckPass. The library should create a self-check staff user with Circ privileges. Then, to use this feature, turn on the AutoSelfCheckAllowed syspref and enter the ID and password of the self-check staff user. The

self-check script will look for these sysprefs and if present and activated, do an automatic login to the self-check page and come up ready for patron use.

Bug Fixes

Fixes problems with certain Amazon content not displaying.

In OPAC XSLT results and title display, a title with an ampersand in it would show the character as & instead of as &. This patch fixes the problem for OPAC display; it will later be extended to staff XSLT display.

Added instructional wording on OPAC Reading History screen.

Hold priority list needs additional status for items assigned but not working – adds assigned/in transit statuses to holds priority list.

Holds queue report includes items already allocated – removes the extraneous entries.

Transferring an item does not update date last seen – adds a date update.

"Your Cart is Currently Empty" popup displays underneath News header – fixes a display problem.

Sticky calendar renew date doesn't work – fixes calendar gadget in patron checkout/renewals column.

Some Letters template variables are not available to certain notice types – LibLime-developed fix allows for use of some specific item fields in advance notices, such as <<items.date_due>>, <<items.itemcallnumber>>. It also allows use of date due or issue date in the checkin/checkout/item due notices.

Miscellaneous OPAC XSLT fixes for various display problems.

Non-staff patrons logging into the OPAC don't have option to place holds from Public Lists – adds the Place Hold option into lists.

With multiple 5XX fields, the font display gets progressively smaller – fixes this XSLT display

problem.

Remove unimplemented upcoming events message – this messaging option was never implemented and caused much confusion for staff and patrons.

We did some development to allow use of remotely-stored stylesheets for sites with multiple OPAC interfaces (separate URLs). In the past, these custom stylesheets had to be stored on the Koha server, which made it harder to make changes in them. Storing the stylesheets remotely allows easier access.

We added several patches and wrote others to fix Koha bugs and enhance holds, hold and transfer reports, and transfers between libraries.

We've fixed some problems and added extra SIP functionality for various sites.

The Koha version 3.x record format has always stored item records in the same table field as the MARC record. Since there is a size limit on that field, titles with large numbers of items (such as journals) were unable to save all the items on one title record; they had to be split among several title records. We have split the item storage apart from the MARC record storage so this problem no longer exists. A single title record can now have hundreds of item records attached to it.

We've loaded a patch to remove the hardcoded limit of 10,000 on downloading records from reports. Sites can specify a limit in the report setup, but won't be cut off at 10,000 records. We also made some other fixes to report length and pagination.

We've loaded several patches to fix problems with the Koha label creator program.

We have made several fixes to staff and OPAC XSLT displays, including titles with ampersands.

We've created some table indexes and made other fixes to improve response time in patron searching and display.

We've added barcode padding and library barcode prefix options into the

code.

We have integrated the GetIt acquisitions program into the Koha codebase.

We added a patch to include audible circulation alerts for staff.

We added a patch to increase speed on z39.50 searching and to run z39.50 connection over SSL.

We loaded a patch to display home branch rather than current branch on item records.

Other fixes:

We corrected several staff home page links and functionality including home page checkout. We also fixed problems with clicking on authority-linked fields in the bib display, with saving a newly-created title, with OPAC renewals, and with diacritics searches. We also loaded several other minor bug fixes.